


LMT5081TYH

Road maintenance truck.

1. Main unit.



2. Main Configuration.

No.	Class	Name	Qty	Supplier/Model
			.	
1	Chassis System	Chassis	1	JAC/HFC1081KT

2	Mixing System	Mixing Tank and Supporting Wheel	1	MeTong
		Driving Motor	1	China Brand
		Burner	1	Riello(Italy)/G20
3	Heating System	Burner	1	Riello(Italy)/G5
		Flame Tube	1	MeTong
		Heat Transfer Oil Interlayer and Coil Pipe	1	Metong
		Heat Transfer Oil Pump	1	China Brand
		Diesel Tank	1	China Brand

4	Asphalt System	Asphalt Tank	1	MeTong
		Asphalt Pump	1	China Brand
		Valves	6	China Brand
		Hand Spray Gun	1	MeTong
		Heating Equipment	1	MeTong

		Metallic Thermometer	1	China Brand
		Thermocouple	1	China Brand
5	Dust Remove System	Dust Remove Box	1	MeTong
		Draft Fan	1	China Brand
		Outlet Gate	1	MeTong
6	Minerals Lifting and Feeding System	Hopper	1	MeTong
		Winch	1	China Brand
		Hopper Rail	1	MeTong

7	Electric System	Generator	1	China Brand
		Control Box	1	MeTong
8	Lifting System	Lifting Hanger	1	MeTong
		Electric Hoist	1	China Brand
9	Other equipment Included	Cutting Machine	1	China Brand
		Plate Vibration	1	China Brand
		Electric Hammer	1	China Brand

3. Technical Parameters.

Class	Item	Parameter
General Parameter	Productivity	≤3-5T/h
	Working Voltage	380V/50HZ
	Total Power	≤15Kw
	Dimension (mm)	6980 × 2120 × 3090
	Hand-Gun Asphalt Spraying Speed (L/min)	30
	Chassis Power (kw)	80
	Chassis Maximum Load (kg)	2495
Mixing Tank	Roller Tank Capacity (m ³)	0.22
	Temperature °C	120-160
	Driving Model (KW)	3
	Burner (KW)	240
Heating System	Heat Transfer Oil Pump (m ³ /h)	1.5
	Heat Transfer Oil Temperature (°C)	100-160
	Burner (KW)	60

Asphalt System(heat insulation cotton)	Capacity (m ³)	0.48
	Asphalt Temperature (°C)	100-160
	Asphalt Pump (m ³ /h)	3
	Pressure (Mpa)	0.6
Dust Remove System	Inlet Volume (m ³ /h)	1450
Lifting System	Hopper Capacity (m ³)	0.11
	Winch Capacity (Kg)	300
Electric System	Generator (KW)	15
Hoist System	Electric Hoist (kg)	200 (No overload)
Other Equipment Included	Cutting Depth of Cutting Machine (mm)	120
	Plate Vibration Force (N)	18000
	Vibration Frequency of Electric Hammer(times/min)	1450

4. Appearance.









