

Beijing Shijizhengfang Science & Technology Development Co.,Ltd

SK-11+ Portable Elight (IPL+RF) Hair Removal Machine



Trolly optional, price not include trolly

Medical CE1023, CE, ISO13485, ISO9001 approval









Specification

RF Energy	1-20J/cm3(10MHZ)
Light Energy	1-50J/cm ²
Pulse width	1-10ms
Pulse interval	1-100ms
Pulse number	1-6
RF duration	50-2500ms
Spectra	530-1200nm (Standard)
Refrigeration	$0^{\circ}\text{C} \sim -15^{\circ}\text{C}$
Spot Size	8×40mm ² (Standard) or 15×60 mm ² or 20×20mm ²
Net Weight	28kg
Machine Size	760mm×520mm×720mm (L×W×H)
Electrical Requirement	AC 110V±10% 60Hz AC 220V±10% 50Hz

Application

- 1. Remove unwanted hair in different depths and thickness;
- 2. Rejuvenate skin, contract the pores and remove and black head;
- 3. Effectively remove all kinds of pigment, such as a freckle, deep-seated speckle, cuticular speckle, corium speckle, age pigment, chloasma;
- 4. Remove facial vascular lesions (Telangiectasis or pathological capillary vessel);
- 5. Remove acne on face effectively;
- 6. Dispel wrinkle, tighten skin, and face lifting.

Before and after



Features

- 1. Most advanced technology: E-light =Bipolar Radio Frequency + IPL +Skin Contact Cooling.
- 2. Two handpieces: one E-light handpiece and one bipolar RF handpiece.
- 3. Easier operation: 10" color touch screen, 18 settings memory systems, 13 languages.
- 4. Advanced flash computer calculator
- 5. Easier installation: Plug-and-play CPC connectors.
- 6. Longer working time: powerful cooling system (air + water + semiconductor).
- 7. Safer working: waterflow and waterlevel systems keep valuable optic components always in definite safe condition. Optical components are never burnt out.
- 8. Medical CE approval, ISO13485:2003 and ISO9001:2008.

Two handpieces

1. Standard E-light handpiece: Spectra 530-1200nm







Optional: Change filters or big spot handpiece



Filters 420/540/585/640



Big spot handpiece 15*60mm

2. RF handpiece:



25mm tip for face, 35mm big tip for body

Color touch screen, Elight, IPL, RF 3in1




Additional spare will be supplied with the machine.



Packing

Foam plastics: we developed thick foam plastics bag based on a machine's shape. Firstly, we put the machine into the foam bag, the machine and the bag joint very close. Secondly, we put this bag with machine into the aluminum alloy box. This guarantee 100% safe for the machine under ship.



Training

We provide User Manual and DVD video, it shows how to install machine, notice before & during & after treatment procedure clearly, easy for you to learn it.

Delivery

Goods can be delivered to you within 3-5 days by air express. We have long-term cooperation with Fedex and DHL which can offer us good shipping cost and also best service.







