



Address: Yijia Industrial Park, Fujian Road, Guanlan, Longhua New District, Shenzhen, Guangdong, China  
 tel: +86 159 1405 3698 fax: +86 755 2760 8651 www.signcomplex.com sussie@signcomplex.com

**Highbay light (EXW term)**

<Bank account information>

Bank Name : BANK OF CHINA Shenzhen Branch Longhua Sub-Branch  
 Bank Address : 442 Renmin North Road, Longhua Sub-District, BaoAn District Shenzhen China  
 Swift Code : BKCHCNBJ45A  
 Account Number : 7770 5796 1306  
 Name of Account Holder : Shenzhen Signcomplex Limited

**Seoul 1919+SOSEN Libay High Bay&Low Bay Lighting series**

Black housing, Silver housing is optional  
 30°\*70°, 70°\*120°, 120°\*120° is optional





















Model Number	Photo	Descriptions	Measurement / Unit	Currency	Price		
					Below 10	10-500	500-1,000
GK-090-AW-W-L-11/14		60PCS, SEOUL 1919LED, Sosen driver, 90W, 4500K-6500K, white, 10670lm, 1.1A, 70°*120°, AC100-277V, 50/60Hz, CRI>70, PE>0.9 L*W*H: 348*204*145mm	pcs	US\$	87.4	85.3	83.3
GK-090-AW-NW-L-11/14		60PCS, SEOUL 1919LED, Sosen driver, 90W, 3500K-4500K, Natural white, 11200lm, 1.1A, 70°*120°, AC100-277V, 50/60Hz, CRI>70, PE>0.9 L*W*H: 348*204*145mm	pcs	US\$	87.4	85.3	83.3
GK-090-AW-WW-L-11/14		60PCS, SEOUL 1919LED, Sosen driver, 90W, 2500K-3500K, Warm white, 9340lm, 1.1A, 70°*120°, AC100-277V, 50/60Hz, CRI>70, PE>0.9 L*W*H: 348*204*145mm	pcs	US\$	87.4	85.3	83.3
GK-120-AW-W-L-11/14		90PCS, SEOUL 1919LED, Sosen driver, 120W, 4500K-6500K, white, 14130lm, 1.4A, 70°*120°, AC100-277V, 50/60Hz, CRI>70, PE>0.9 L*W*H: 460*204*145mm	pcs	US\$	113	110.5	108
GK-120-AW-NW-L-11/14		90PCS, SEOUL 1919LED, Sosen driver, 120W, 3500K-4500K, Natural white, 14840lm, 1.4A, 70°*120°, AC100-277V, 50/60Hz, CRI>70, PE>0.9 L*W*H: 460*204*145mm	pcs	US\$	113	110.5	108
GK-120-AW-WW-L-11/14		90PCS, SEOUL 1919LED, Sosen driver, 120W, 2500K-3500K, Warm white, 12330lm, 1.4A, 70°*120°, AC100-277V, 50/60Hz, CRI>70, PE>0.9 L*W*H: 460*204*145mm	pcs	US\$	113	110.5	108
GK-150-AW-W-L-11/14		120PCS, SEOUL 1919LED, Sosen driver, 150W, 4500K-6500K, white, 11740lm, 1.8A, 70°*120°, AC100-277V, 50/60Hz, CRI>70, PE>0.9 L*W*H: 574*204*145mm	pcs	US\$	138	134.5	131.5
GK-150-AW-NW-L-11/14		120PCS, SEOUL 1919LED, Sosen driver, 150W, 3500K-4500K, Natural white, 18620lm, 1.8A, 70°*120°, AC100-277V, 50/60Hz, CRI>70, PE>0.9 L*W*H: 574*204*145mm	pcs	US\$	138	134.5	131.5
GK-150-AW-WW-L-11/14		120PCS, SEOUL 1919LED, Sosen driver, 150W, 2500K-3500K, Warm white, 15510lm, 1.8A, 70°*120°, AC100-277V, 50/60Hz, CRI>70, PE>0.9 L*W*H: 574*204*145mm	pcs	US\$	138	134.5	131.5
GK-200-AW-W-L-11/14		150PCS, SEOUL 1919LED, Sosen driver, 200W, 4500K-6500K, white, 23780lm, 2.3A, 70°*120°, AC100-277V, 50/60Hz, CRI>70, PE>0.9 L*W*H: 574*204*145mm	pcs	US\$	174.3	170.2	166.2
GK-200-AW-NW-L-11/14		150PCS, SEOUL 1919LED, Sosen driver, 200W, 3500K-4500K, Natural white, 22690lm, 2.3A, 70°*120°, AC100-277V, 50/60Hz, CRI>70, PE>0.9 L*W*H: 574*204*145mm	pcs	US\$	174.3	170.2	166.2
GK-200-AW-WW-L-11/14		150PCS, SEOUL 1919LED, Sosen driver, 200W, 2500K-3500K, Warm white, 20790lm, 2.3A, 70°*120°, AC100-277V, 50/60Hz, CRI>70, PE>0.9 L*W*H: 574*204*145mm	pcs	US\$	174.3	170.2	166.2
GK-240-AW-W-L-11/14		180PCS, SEOUL 1919LED, Sosen driver, 240W, 4500K-6500K, white, 27730lm, 2.8A, 70°*120°, AC100-277V, 50/60Hz, CRI>70, PE>0.9 L*W*H: 574*204*145mm	pcs	US\$	206.3	201.8	197.5
GK-240-AW-NW-L-11/14		180PCS, SEOUL 1919LED, Sosen driver, 240W, 3500K-4500K, Natural white, 29120lm, 2.8A, 70°*120°, AC100-277V, 50/60Hz, CRI>70, PE>0.9 L*W*H: 574*204*145mm	pcs	US\$	206.3	201.8	197.5
GK-240-AW-WW-L-11/14		180PCS, SEOUL 1919LED, Sosen driver, 240W, 2500K-3500K, Warm white, 27450lm, 2.8A, 70°*120°, AC100-277V, 50/60Hz, CRI>70, PE>0.9 L*W*H: 574*204*145mm	pcs	US\$	206.3	201.8	197.5
GK-280-AW-W-L-11/14		210PCS, SEOUL 1919LED, Sosen driver, 280W, 4500K-6500K, white, 31910lm, 3.3A, 70°*120°, AC100-277V, 50/60Hz, CRI>70, PE>0.9 L*W*H: 574*204*145mm	pcs	US\$	278	272.9	267.9
GK-280-AW-NW-L-11/14		210PCS, SEOUL 1919LED, Sosen driver, 280W, 3500K-4500K, Natural white, 30310lm, 3.3A, 70°*120°, AC100-277V, 50/60Hz, CRI>70, PE>0.9 L*W*H: 574*204*145mm	pcs	US\$	278	272.9	267.9
GK-280-AW-WW-L-11/14		210PCS, SEOUL 1919LED, Sosen driver, 280W, 2500K-3500K, Warm white, 27380lm, 3.3A, 70°*120°, AC100-277V, 50/60Hz, CRI>70, PE>0.9 L*W*H: 574*204*145mm	pcs	US\$	278	272.9	267.9

695-01-2001-005		ceiling installation accessory, black color, 1pcs	pcs	US\$	4
-----------------	---	---	-----	------	---

695-01-2001-007		hanging installation accessory, 2pcs	pcs	US\$	6
-----------------	---	--------------------------------------	-----	------	---

**Seoul 3535 + MW LiBay high bay and low bay lighting series**  
**Black housing, Silver housing is optional**



Photo	Descriptions	Measurement / Unit	Currency	Price	Below 10	10-500	500-1,000
	60pcs,SEOUL LED ,AC100-277V,50/60HZ,PF>0.9,90W,11530lm,CRI>70,5500-6500K, White	pcs	US\$	133.1	127	121	
	60pcs,SEOUL LED ,AC100-277V,50/60HZ,PF>0.9,90W,10930lm,CRI>70,4000-4500K,Natural White	pcs	US\$	133.1	127	121	
	60pcs ,SEOUL LED ,AC100-277V,50/60HZ,PF>0.9,90W,10340lm,CRI>70,2700-3200K,Warm White	pcs	US\$	133.1	127	121	
	90pcs,SEOUL LED ,AC100-277V,50/60HZ,PF>0.9,120W,14930lm,CRI>70,5500-6500K, White	pcs	US\$	158.1	151	144	
	90pcs,SEOUL LED ,AC100-277V,50/60HZ,PF>0.9,120W,14730lm,CRI>70,4000-4500K,Natural White	pcs	US\$	158.1	151	144	
	90pcs ,SEOUL LED ,AC100-277V,50/60HZ,PF>0.9,120W,14030lm,CRI>70,2700-3200K,Warm White	pcs	US\$	158.1	151	144	
	120pcs,SEOUL LED ,AC100-277V,50/60HZ,PF>0.9,150W,19580lm,CRI>70,5500-6500K, White	pcs	US\$	183.1	175	167	
	120pcs,SEOUL LED ,AC100-277V,50/60HZ,PF>0.9,150W,19640lm,CRI>70,4000-4500K,Natural White	pcs	US\$	183.1	175	167	
	120pcs ,SEOUL LED ,AC100-277V,50/60HZ,PF>0.9,150W,18740lm,CRI>70,2700-3200K,Warm White	pcs	US\$	183.1	175	167	
	150pcs,SEOUL LED ,AC100-277V,50/60HZ,PF>0.9,200W,24770lm,CRI>70,5500-6500K, White	pcs	US\$	229.1	220	211	
	150pcs,SEOUL LED ,AC100-277V,50/60HZ,PF>0.9,200W,25080lm,CRI>70,4000-4500K,Natural	pcs	US\$	229.1	220	211	
	150pcs ,SEOUL LED ,AC100-277V,50/60HZ,PF>0.9,200W,24110lm,CRI>70,2700-3200K,Warm White	pcs	US\$	229.1	220	211	
	200pcs,SEOUL LED ,AC100-277V,50/60HZ,PF>0.9,240W,29790lm,CRI>70,5500-6500K, White	pcs	US\$	255.2	245	235	
	200pcs,SEOUL LED ,AC100-277V,50/60HZ,PF>0.9,240W,29610lm,CRI>70,4000-4500K,Natural White	pcs	US\$	255.2	245	235	
	200pcs ,SEOUL LED ,AC100-277V,50/60HZ,PF>0.9,240W,28170lm,CRI>70,2700-3200K,Warm White	pcs	US\$	255.2	245	235	
	240pcs,SEOUL LED ,AC100-277V,50/60HZ,PF>0.9,300W,36460lm,CRI>70,5500-6500K, White	pcs	US\$	328.2	317	306	
	240pcs,SEOUL LED ,AC100-277V,50/60HZ,PF>0.9,300W,35640lm,CRI>70,4000-4500K,Natural White	pcs	US\$	328.2	317	306	
	240pcs ,SEOUL LED ,AC100-277V,50/60HZ,PF>0.9,300W,35620lm,CRI>70,2700-3200K,Warm White	pcs	US\$	328.2	317	306	

695-01-2001-005		ceiling installation accessory, black color, 1pcs	pcs	US\$	4
-----------------	---	---	-----	------	---

695-01-2001-007		hanging installation accessory, 2pcs	pcs	US\$	6
-----------------	---	--------------------------------------	-----	------	---

**Dimmable Dali Libay (SEOUL+Inventronics)**  
**Black housing, Silver housing is optional**



Photo	Descriptions	Measurement / Unit	Currency	Price		
				Below 10	10-500	500-1,000
	60pcs,SEOUL LED ,AC100-277V,50/60HZ,1.1A PF >0.9,90W,70°*120°, 11530lm,CRI>70, 5500-6500K, White ,	pcs	US\$	147	140.9	134.9
	60pcs,SEOUL LED ,AC100-277V,50/60HZ,1.1A PF >0.9,90W,70°*120°, 10930lm,CRI>70, 4000-4500K,Natural White,	pcs	US\$	147	140.9	134.9
	60pcs ,SEOUL LED ,AC100-277V,50/60HZ,1.1A, PF>0.9,90W,70°*120°, 10340lm,CRI>70,2700-3200K,Warm White ,	pcs	US\$	147	140.9	134.9
	90pcs,SEOUL LED ,AC100-277V,50/60HZ,1.4A PF >0.9,120W,70°*120°,14930lm,CRI>70, 5500-6500K, White ,	pcs	US\$	178.4	171.3	164.3
	90pcs,SEOUL LED ,AC100-277V,50/60HZ,1.4A PF >0.9,120W,70°*120°, 14730lm,CRI>70, 4000-4500K,Natural White,	pcs	US\$	178.4	171.3	164.3
	90pcs ,SEOUL LED ,AC100-277V,50/60HZ,1.4A, PF>0.9,120W,70°*120°, 14030lm,CRI>70, 2700-3200K,Warm White ,	pcs	US\$	178.4	171.3	164.3
	120pcs,SEOUL LED ,AC100-277V,50/60HZ,1.8A PF>0.9,150W,70°*120°,19580lm,CRI>70, 5500-6500K, White ,	pcs	US\$	203.4	195.3	187.3
	120pcs,SEOUL LED ,AC100-277V,50/60HZ,1.8A PF>0.9,150W,70°*120°, 19640lm,CRI>70, 4000-4500K,Natural White,	pcs	US\$	203.4	195.3	187.3
	120pcs ,SEOUL LED, AC100-277V, 50/60HZ, 1.8A, PF>0.9,150W,70°*120°, 18740lm, CRI >70,2700-3200K,Warm White ,	pcs	US\$	203.4	195.3	187.3
	150pcs,SEOUL LED ,AC100-277V,50/60HZ,2.3A PF>0.9,200W,70°*120°,24770lm,CRI>70, 5500-6500K, White ,	pcs	US\$	243.5	234.5	225.5
	150pcs,SEOUL LED ,AC100-277V,50/60HZ,2.3A PF>0.9,200W,70°*120°, 25080lm,CRI>70, 4000-4500K,Natural White,	pcs	US\$	243.5	234.5	225.5
	150pcs ,SEOUL LED, AC100-277V, 50/60HZ, 2.3A, PF>0.9,200W,70°*120°, 24110lm, CRI >70,2700-3200K,Warm White ,	pcs	US\$	243.5	234.5	225.5
	180pcs,SEOUL LED ,AC100-277V,50/60HZ,2.8A PF>0.9,240W,70°*120°,29790lm,CRI>70, 5500-6500K, White ,	pcs	US\$	273.6	263.5	253.5
	180pcs,SEOUL LED ,AC100-277V,50/60HZ,2.8A PF>0.9,240W,70°*120°, 29610lm,CRI>70, 4000-4500K,Natural White,	pcs	US\$	273.6	263.5	253.5
	180pcs ,SEOUL LED, AC100-277V, 50/60HZ, 2.8A, PF>0.9,240W,70°*120°, 28170lm, CRI >70,2700-3200K,Warm White ,	pcs	US\$	273.6	263.5	253.5
	ceiling installation accessory, black color, 1pcs	pcs	US\$	4		
	hanging installation accessory, 2pcs	pcs	US\$	6		

1) prices are based on EX-WORKS term  
 2)the validity is June. 2016 to Dec. 2016