





Address: Yijia Industrial Park, Fuqian Road, Guanlan, Longhua New District, Shenzhen, Guangdong, China
 tel: +86 755 2760 8650 fax: +86 755 2760 8651 www.signcomplex.com sales@signcomplex.com


High Brightness Flexible LED Strip (EXW term)

High Brightness 3528 non-waterproof									
Model No.	Photo	Descriptions	Measurement /Unit	Currency	Price				
					below 10	10-500	500-1,000	1,000-5,000	
SC-IC-W		300 leds, SMD 3528, 4.8W/m, white double layer PCB, 12V/24V DC, IP20 5,500-7,000K white 420 lumen/m	reel/5m	US \$	15.0	14.0	14.0	14.0	
SC-IC-NW		300 leds, SMD 3528, 4.8W/m, white double layer PCB, 12V/24V DC, IP20 4,000-4,500K natural white 400 lumen/m	reel/5m	US \$	15.0	14.0	14.0	14.0	
SC-IC-WW		300 leds, SMD 3528, 4.8W/m, white double layer PCB, 12V/24V DC, IP20 2,700-3,200K warm white 390 lumen/m	reel/5m	US \$	15.0	14.0	14.0	14.0	
SC-IC-R		300 leds, SMD 3528, 4.8W/m, white double layer PCB, 12V/24V DC, IP20 red 150 lumen/m	reel/5m	US \$	19.0	17.5	17.0	16.0	
SC-IC-G		300 leds, SMD 3528, 4.8W/m, white double layer PCB, 12V/24V DC, IP20 green 220 lumen/m	reel/5m	US \$	16.0	14.5	14.0	13.0	
SC-IC-B		300 leds, SMD 3528, 4.8W/m, white double layer PCB, 12V/24V DC, IP20 blue 90 lumen/m	reel/5m	US \$	16.0	14.5	14.0	13.0	
SC-IC-Y		300 leds, SMD 3528, 4.8W/m, white double layer PCB, 12V/24V DC, IP20 yellow 170 lumen/m	reel/5m	US \$	19.0	17.5	17.0	16.0	
SC-IC-UV		300 leds, SMD 3528, 4.8W/m, white double layer PCB, 12V/24V DC, IP20 purple, 400-410nm	reel/5m	US \$	52.0	48.0	44.0	40.0	
SC-IC-P		300 leds, SMD 3528, 4.8W/m, white double layer PCB, 12V/24V DC, IP20 pink, 300 lumen/m	reel/5m	US \$	19.0	17.5	17.0	16.0	
SC-IC-RGB		150 leds, SMD 5050RGB, 7.2W/m, white double layer PCB, 12V/24V DC, IP20 250 lumen/m	reel/5m	US \$	23.0	22.0	22.0	22.0	
SC-IC-W2		600 leds, SMD 3528, 9.6W/m, white double layer PCB, 12V/24V DC, IP20 5500-7000K white 850 lumen/m	reel/5m	US \$	27.0	26.0	26.0	26.0	
SC-IC-NW2		600 leds, SMD 3528, 9.6W/m, white double layer PCB, 12V/24V DC, IP20 4,000-4,500K natural white 810 lumen/m	reel/5m	US \$	27.0	26.0	26.0	26.0	
SC-IC-WW2		600 leds, SMD 3528, 9.6W/m, white double layer PCB, 12V/24V DC, IP20 2,700-3,200K warm white 790 lumen/m	reel/5m	US \$	27.0	26.0	26.0	26.0	
SC-IC-R2		600 leds, SMD 3528, 9.6W/m, white double layer PCB, 12V/24V DC, IP20 red 300 lumen/m	reel/5m	US \$	33.0	31.5	31.0	30.0	
SC-IC-G2		600 leds, SMD 3528, 9.6W/m, white double layer PCB, 12V/24V DC, IP20 green 440 lumen/m	reel/5m	US \$	27.0	25.5	25.0	24.0	
SC-IC-B2		600 leds, SMD 3528, 9.6W/m, white double layer PCB, 12V/24V DC, IP20 blue 180 lumen/m	reel/5m	US \$	27.0	25.5	25.0	24.0	
SC-IC-Y2		600 leds, SMD 3528, 9.6W/m, white double layer PCB, 12V/24V DC, IP20 yellow 340 lumen/m	reel/5m	US \$	33.0	31.5	31.0	30.0	
SC-IC-UV2		600 leds, SMD 3528, 9.6W/m, white double layer PCB, 12V/24V DC, IP20 purple, 400-410nm	reel/5m	US \$	94.0	90.0	86.0	82.0	
SC-IC-P2		600 leds, SMD 3528, 9.6W/m, white double layer PCB, 12V/24V DC, IP20 pink, 600 lumen/m	reel/5m	US \$	33.0	31.5	31.0	30.0	
SC-IC-RGB2		300 leds, SMD 5050RGB, 14.4W/m, white double layer PCB, 12V/24V DC, IP20 RGB 500 lumen/m	reel/5m	US \$	38.0	37.0	37.0	37.0	

Standard Accessory



for single color strip



for RGB Strip

High Brightness 3528 PU glue potted

Model No.	Photo	Descriptions	Measurment /Unit	Currency	Price			
					below 10	10-500	500-1,000	1,000-5,000
SC-TWF3-W		300 leds, SMD 3528, 4.8W/m, white double layer PCB, 12V/24V DC, IP65 5,500-7,000K white,400 lumen/m	reel/5m	US \$	20.0	19.0	19.0	19.0
SC-TWF3-NW		300 leds, SMD 3528, 4.8W/m, white double layer PCB, 12V/24V DC, IP65 4,000-4,500K natural white,390 lumen/m	reel/5m	US \$	20.0	19.0	19.0	19.0
SC-TWF3-WW		300 leds, SMD 3528, 4.8W/m, white double layer PCB, 12V/24V DC, IP65 2,700-3,200K warm white,380 lumen/m	reel/5m	US \$	20.0	19.0	19.0	19.0
SC-TWF3-R		300 leds, SMD 3528, 4.8W/m, white double layer PCB, 12V/24V DC, IP65 red,140 lumen/m	reel/5m	US \$	24.0	22.5	22.0	21.0
SC-TWF3-G		300 leds, SMD 3528, 4.8W/m, white double layer PCB, 12V/24V DC, IP65 green,210 lumen/m	reel/5m	US \$	21.0	19.5	19.0	18.0
SC-TWF3-B		300 leds, SMD 3528, 4.8W/m, white double layer PCB, 12V/24V DC, IP65 blue,40 lumen/m	reel/5m	US \$	21.0	19.5	19.0	18.0
SC-TWF3-Y		300 leds, SMD 3528, 4.8W/m, white double layer PCB, 12V/24V DC, IP65 yellow 160 lumen/m	reel/5m	US \$	24.0	22.5	22.0	21.0
SC-TWF3-RGB		150 leds, SMD 5050RGB, 7.2W/m, white double layer PCB, 12V/24V DC, IP65 RGB 190 lumen/m	reel/5m	US \$	30.0	29.0	29.0	29.0
SC-TWF3-W2		600 leds, SMD 3528, 9.6W/m, white double layer PCB, 12V/24V DC, IP65 5,500-7,000K white 830 lumen/m	reel/5m	US \$	32.0	31.0	31.0	31.0
SC-TWF3-NW2		600 leds, SMD 3528, 9.6W/m, white double layer PCB, 12V/24V DC, IP65 4,000-4,500K natural white,800 lumen/m	reel/5m	US \$	32.0	31.0	31.0	31.0
SC-TWF3-WW2		600 leds, SMD 3528, 9.6W/m, white double layer PCB, 12V/24V DC, IP65 2,700-3,200K warm white 780 lumen/m	reel/5m	US \$	32.0	31.0	31.0	31.0
SC-TWF3-R2		600 leds, SMD 3528, 9.6W/m, white double layer PCB, 12V/24V DC, IP65 red 220 lumen/m	reel/5m	US \$	38.0	36.5	36.0	35.0
SC-TWF3-G2		600 leds, SMD 3528, 9.6W/m, white double layer PCB, 12V/24V DC, IP65 green,240 lumen/m	reel/5m	US \$	32.0	30.5	30.0	29.0
SC-TWF3-B2		600 leds, SMD 3528, 9.6W/m, white double layer PCB, 12V/24V DC, IP65 blue,100 lumen/m	reel/5m	US \$	32.0	30.5	30.0	29.0
SC-TWF3-Y2		600 leds, SMD 3528, 9.6W/m, white double layer PCB, 12V/24V DC, IP65 yellow240 lumen/m	reel/5m	US \$	38.0	36.5	36.0	35.0
SC-TWF3-RGB2		300 leds, SMD 5050RGB, 14.4W/m, white double layer PCB, 12V/24V DC, IP65 RGB 300 lumen/m	reel/5m	US \$	45.0	44.0	44.0	44.0

Standard Accessory





for single color strip






for RGB Strip

High Brightness 3528 Silicon sleeved


Model No.	Photo	Descriptions	Measurment /Unit	Currency	Price			
					below 10	10-500	500-1,000	1,000-5,000
SC-TWF4-W		300 leds, SMD 3528, 4.8W/m, white double layer PCB, 12V/24V DC, IP65 5,500-7,000K white,400 lumen/m	reel/5m	US \$	20.0	19.0	19.0	19.0
SC-TWF4-NW		300 leds, SMD 3528, 4.8W/m, white double layer PCB, 12V/24V DC, IP65 4,000-4,500K natural white,390 lumen/m	reel/5m	US \$	20.0	19.0	19.0	19.0

SC-TWF4-WW	300 leds, SMD 3528, 4.8W/m, white double layer PCB, 12V/24V DC, IP65 2,700-3,200K warm white,380 lumen/m	reel/5m	US \$	20.0	19.0	19.0	19.0	
SC-TWF4-R	300 leds, SMD 3528, 4.8W/m, white double layer PCB, 12V/24V DC, IP65 red 140 lumen/m	reel/5m	US \$	24.0	22.5	22.0	21.0	
SC-TWF4-G	300 leds, SMD 3528, 4.8W/m, white double layer PCB, 12V/24V DC, IP65 green,210 lumen/m	reel/5m	US \$	21.0	19.5	19.0	18.0	
SC-TWF4-B	300 leds, SMD 3528, 4.8W/m, white double layer PCB, 12V/24V DC, IP65 blue,40 lumen/m	reel/5m	US \$	21.0	19.5	19.0	18.0	
SC-TWF4-Y	300 leds, SMD 3528, 4.8W/m, white double layer PCB, 12V/24V DC, IP65 yellow,160 lumen/m	reel/5m	US \$	24.0	22.5	22.0	21.0	
SC-TWF4-RGB	150 leds, SMD 5050, 7.2W/m, white double layer PCB, 12V/24V DC, IP65 RGB,190 lumen/m	reel/5m	US \$	30.0	29.0	29.0	29.0	
SC-TWF4-W2	600 leds, SMD 3528, 9.6W/m, white double layer PCB, 12V/24V DC, IP65 5,500-7,000K white,830 lumen/m	reel/5m	US \$	32.0	31.0	31.0	31.0	
SC-TWF4-NW2	600 leds, SMD 3528, 9.6W/m, white double layer PCB, 12V/24V DC, IP65 4,000-4,500K natural white,805 lumen/m	reel/5m	US \$	32.0	31.0	31.0	31.0	
SC-TWF4-WW2	600 leds, SMD 3528, 9.6W/m, white double layer PCB, 12V/24V DC, IP65 2,700-3,200K warm white, 780 lumen/m	reel/5m	US \$	32.0	31.0	31.0	31.0	
SC-TWF4-R2	600 leds, SMD 3528, 9.6W/m, white double layer PCB, 12V/24V DC, IP65 red,220 lumen/m	reel/5m	US \$	38.0	36.5	36.0	35.0	
SC-TWF4-G2	600 leds, SMD 3528, 9.6W/m, white double layer PCB, 12V/24V DC, IP65 green,240 lumen/m	reel/5m	US \$	32.0	30.5	30.0	29.0	
SC-TWF4-B2	600 leds, SMD 3528, 9.6W/m, white double layer PCB, 12V/24V DC, IP65 blue,100 lumen/m	reel/5m	US \$	32.0	30.5	30.0	29.0	
SC-TWF4-Y2	600 leds, SMD 3528, 9.6W/m, white double layer PCB, 12V/24V DC, IP65 yellow,240 lumen/m	reel/5m	US \$	38.0	36.5	36.0	35.0	
SC-TWF4-RGB2	300 leds, SMD 5050RGB, 14.4W/m, white double layer PCB, 12V/24V DC, IP65 RGB,300 lumen/m	reel/5m	US \$	45.0	44.0	44.0	44.0	
Standard Accessory	 <p>for single color strip</p> <p>for RGB Strip</p>							
High Brightness 3528 Slim PU glue potted								
Model No.	Photo	Descriptions	Measurment /Unit	Currency	Price			
					below 10	10-500	500-1,000	1,000-5,000
SC-DTWF3-W-A		300 leds, SMD 3528, 4.8W/m, white double layer PCB, 12V/24V DC, IP64 5,500-7,000K white 400 lumen/m	reel/5m	US \$	20.0	19.0	19.0	19.0
SC-DTWF3-NW-A		300 leds, SMD 3528, 4.8W/m, white double layer PCB, 12V/24V DC, IP64 4,000-4,500K natural white,390 lumen/m	reel/5m	US \$	20.0	19.0	19.0	19.0
SC-DTWF3-WW-A		300 leds, SMD 3528, 4.8W/m, white double layer PCB, 12V/24V DC, IP64 2,700-3,200K warm white,380 lumen/m	reel/5m	US \$	20.0	19.0	19.0	19.0
SC-DTWF3-R-A		300 leds, SMD 3528, 4.8W/m, white double layer PCB, 12V/24V DC, IP64 red,110 lumen/m	reel/5m	US \$	24.0	22.5	22.0	21.0
SC-DTWF3-G-A		300 leds, SMD 3528, 4.8W/m, white double layer PCB, 12V/24V DC, IP64 green,210 lumen/m	reel/5m	US \$	21.0	19.5	19.0	18.0
SC-DTWF3-B-A		300 leds, SMD 3528, 4.8W/m, white double layer PCB, 12V/24V DC, IP64 blue,50 lumen/m	reel/5m	US \$	21.0	19.5	19.0	18.0
SC-DTWF3-Y-A		300 leds, SMD 3528, 4.8W/m, white double layer PCB, 12V/24V DC, IP64 yellow,120 lumen/m	reel/5m	US \$	24.0	22.5	22.0	21.0
SC-DTWF3-RGB-A		150 leds, SMD 5050RGB, 7.2W/m, white double layer PCB, 12V/24V DC, IP64,130 lumen/m	reel/5m	US \$	30.0	29.0	29.0	29.0


SC-DTWF3-W2-A	600 leds, SMD 3528, 9.6W/m, white double layer PCB, 12V/24V DC, IP64 5,500-7,000K white,690 lumen/m	reel/5m	US \$	32.0	31.0	31.0	31.0	
SC-DTWF3-NW2-A	600 leds, SMD 3528, 9.6W/m, white double layer PCB, 12V/24V DC, IP64 4,000-4,500K natural white,630 lumen/m	reel/5m	US \$	32.0	31.0	31.0	31.0	
SC-DTWF3-WW2-A	600 leds, SMD 3528, 9.6W/m, white double layer PCB, 12V/24V DC, IP64 2,700-3,200K warm white,530 lumen/m	reel/5m	US \$	32.0	31.0	31.0	31.0	
SC-DTWF3-R2-A	600 leds, SMD 3528, 9.6W/m, white double layer PCB, 12V/24V DC, IP64 red,220 lumen/m	reel/5m	US \$	38.0	36.5	36.0	35.0	
SC-DTWF3-G2-A	600 leds, SMD 3528, 9.6W/m, white double layer PCB, 12V/24V DC, IP64 green,250 lumen/m	reel/5m	US \$	32.0	30.5	30.0	29.0	
SC-DTWF3-B2-A	600 leds, SMD 3528, 9.6W/m, white double layer PCB, 12V/24V DC, IP64 blue,95 lumen/m	reel/5m	US \$	32.0	30.5	30.0	29.0	
SC-DTWF3-Y2-A	600 leds, SMD 3528, 9.6W/m, white double layer PCB, 12V/24V DC, IP64 yellow,240 lumen/m	reel/5m	US \$	38.0	36.5	36.0	35.0	
SC-DTWF3-RGB2-A	300 leds, SMD 5050RGB, 14.4W/m, white double layer PCB, 12V/24V DC, IP64 RGB,390 lumen/m	reel/5m	US \$	45.0	44.0	44.0	44.0	
Standard Accessory	 X1 X10 for single color strip	 X1 X10 for RGB Strip						
High Brightness 5050 non-waterproof								
Model No.	Photo	Descriptions	Measurment /Unit	Currency	Price			
					below 10	10-500	500-1,000	1,000-5,000
SC-5050ID-W		150 leds, SMD 5050, 7.2W/m, white double layer PCB, 12V/24V DC, IP20 5,500-7,000K white,600 lumen/m	reel/5m	US \$	26.0	25.0	24.0	23.0
SC-5050ID-NW		150 leds, SMD 5050, 7.2W/m, white double layer PCB, 12V/24V DC, IP20 4,000-4,500K natural white,500 lumen/m	reel/5m	US \$	26.0	25.0	24.0	23.0
SC-5050ID-WW		150 leds, SMD 5050, 7.2W/m, white double layer PCB, 12V/24V DC, IP20 2,700-3,200K warm white,450 lumen/m	reel/5m	US \$	26.0	25.0	24.0	23.0
SC-5050ID-R		150 leds, SMD 5050, 7.2W/m, white double layer PCB, 12V/24V DC, IP20 red,270 lumen/m	reel/5m	US \$	33.0	31.0	29.0	27.0
SC-5050ID-G		150 leds, SMD 5050, 7.2W/m, white double layer PCB, 12V/24V DC, IP20 green,360 lumen/m	reel/5m	US \$	33.0	31.0	29.0	27.0
SC-5050ID-B		150 leds, SMD 5050, 7.2W/m, white double layer PCB, 12V/24V DC, IP20 blue,140 lumen/m	reel/5m	US \$	33.0	31.0	29.0	27.0
SC-5050ID-Y		150 leds, SMD 5050, 7.2W/m, white double layer PCB, 12V/24V DC, IP20 yellow,180 lumen/m	reel/5m	US \$	33.0	31.0	29.0	27.0
SC-5050IC-P		150 leds, SMD 5050, 7.2W/m, white double layer PCB, 12V/24V DC, IP20 pink, 420 lumen/m	reel/5m	US \$	33.0	31.0	29.0	27.0
SC-5050ID-W2		300 leds, SMD 5050, 14.4W/m, white double layer PCB, 12V/24V DC, IP20 5,500-7,000K white,1000 lumen/m	reel/5m	US \$	42.0	41.0	40.0	39.0
SC-5050ID-NW2		300 leds, SMD 5050, 14.4W/m, white double layer PCB, 12V/24V DC, IP20 4,000-4,500K natural white,900 lumen/m	reel/5m	US \$	42.0	41.0	40.0	39.0
SC-5050ID-WW2	300 leds, SMD 5050, 14.4W/m, white double layer PCB, 12V/24V DC, IP20 2,700-3,200K warm white,800 lumen/m	reel/5m	US \$	42.0	41.0	40.0	39.0	
SC-5050ID-R2	300 leds, SMD 5050, 14.4W/m, white double layer PCB, 12V/24V DC, IP20 red,540 lumen/m	reel/5m	US \$	52.0	50.0	48.0	46.0	
SC-5050ID-G2	300 leds, SMD 5050, 14.4W/m, white double layer PCB, 12V/24V DC, IP20 green,720 lumen/m	reel/5m	US \$	52.0	50.0	48.0	46.0	
SC-5050ID-B2	300 leds, SMD 5050, 14.4W/m, white double layer PCB, 12V/24V DC, IP20 blue,270 lumen/m	reel/5m	US \$	52.0	50.0	48.0	46.0	

SC-5050ID-Y2	300 leds, SMD 5050, 14.4W/m, white double layer PCB, 12V/24V DC, IP20 yellow.360 lumen/m	reel/5m	US \$	52.0	50.0	48.0	46.0
SC-5050IC-P2	300 leds, SMD 5050, 14.4W/m, white double layer PCB, 12V/24V DC, IP20 pink. 840 lumen/m	reel/5m	US \$	52.0	50.0	48.0	46.0

Standard Accessory



High Brightness 5050 Slim PU glue potted




Model No.	Photo	Descriptions	Measurment /Unit	Currency	Price			
					below 10	10-500	500-1,000	1,000-5,000
SC-5050DTWF-W		150 leds, SMD 5050, 7.2W/m, white double layer PCB, 12V/24V DC, IP65 5,500-7,000K white,450 lumen/m	reel/5m	US \$	31.0	30.0	29.0	28.0
SC-5050DTWF-NW		150 leds, SMD 5050, 7.2W/m, white double layer PCB, 12V/24V DC, IP65 4,000-4,500K natural white,420 lumen/m	reel/5m	US \$	31.0	30.0	29.0	28.0
SC-5050DTWF-WW		150 leds, SMD 5050, 7.2W/m, white double layer PCB, 12V/24V DC, IP65 2,700-3,200K warm white,360 lumen/m	reel/5m	US \$	31.0	30.0	29.0	28.0
SC-5050DTWF-R		150 leds, SMD 5050, 7.2W/m, white double layer PCB, 12V/24V DC, IP65 red,240 lumen/m	reel/5m	US \$	38.0	36.0	34.0	32.0
SC-5050DTWF-G		150 leds, SMD 5050, 7.2W/m, white double layer PCB, 12V/24V DC, IP65 green,350 lumen/m	reel/5m	US \$	38.0	36.0	34.0	32.0
SC-5050DTWF-B		150 leds, SMD 5050, 7.2W/m, white double layer PCB, 12V/24V DC, IP65 blue,130 lumen/m	reel/5m	US \$	38.0	36.0	34.0	32.0
SC-5050DTWF-Y		150 leds, SMD 5050, 7.2W/m, white double layer PCB, 12V/24V DC, IP65 yellow150 lumen/m	reel/5m	US \$	38.0	36.0	34.0	32.0
SC-5050DTWF-W2		300 leds, SMD 5050, 14.4W/m, white double layer PCB, 12V/24V DC, IP65 5,500-7,000K white.950 lumen/m	reel/5m	US \$	47.0	46.0	45.0	44.0
SC-5050DTWF-NW:		300 leds, SMD 5050, 14.4W/m, white double layer PCB, 12V/24V DC, IP65 4,000-4,500K natural white,900 lumen/m	reel/5m	US \$	47.0	46.0	45.0	44.0
SC-5050DTWF-WW:		300 leds, SMD 5050, 14.4W/m, white double layer PCB, 12V/24V DC, IP65 2,700-3,200K warm white,800 lumen/m	reel/5m	US \$	47.0	46.0	45.0	44.0
SC-5050DTWF-R2		300 leds, SMD 5050, 14.4W/m, white double layer PCB, 12V/24V DC, IP65 red,540 lumen/m	reel/5m	US \$	57.0	55.0	53.0	51.0
SC-5050DTWF-G2		300 leds, SMD 5050, 14.4W/m, white double layer PCB, 12V/24V DC, IP65 green,720 lumen/m	reel/5m	US \$	57.0	55.0	53.0	51.0
SC-5050DTWF-B2		300 leds, SMD 5050, 14.4W/m, white double layer PCB, 12V/24V DC, IP65 blue 270 lumen/m	reel/5m	US \$	57.0	55.0	53.0	51.0
SC-5050DTWF-Y2		300 leds, SMD 5050, 14.4W/m, white double layer PCB, 12V/24V DC, IP65 yellow,360 lumen/m	reel/5m	US \$	57.0	55.0	53.0	51.0

Standard Accessory



High Brightness 5050 PU glue potted

Model No.	Photo	Descriptions	Measurment /Unit	Currency	Price			
					below 10	10-500	500-1,000	1,000-5,000
SC-5050TWF-W		150 leds, SMD 5050, 7.2W/m, white double layer PCB, 12V/24V DC, IP65 5,500-7,000K white,310 lumen/m	reel/5m	US \$	32.0	31.0	30.0	29.0
SC-5050TWF-NW		150 leds, SMD 5050, 7.2W/m, white double layer PCB, 12V/24V DC, IP65 4,000-4,500K natural white,290 lumen/m	reel/5m	US \$	32.0	31.0	30.0	29.0
SC-5050TWF-WW		150 leds, SMD 5050, 7.2W/m, white double layer PCB, 12V/24V DC, IP65 2,700-3,200K warm white,280 lumen/m	reel/5m	US \$	32.0	31.0	30.0	29.0

SC-5050TWF-R		150 leds, SMD 5050, 7.2W/m, white double layer PCB, 12V/24V DC, IP65 red 90 lumen/m	reel/5m	US \$	39.0	37.0	35.0	33.0
SC-5050TWF-G		150 leds, SMD 5050, 7.2W/m, white double layer PCB, 12V/24V DC, IP65 green,240 lumen/m	reel/5m	US \$	39.0	37.0	35.0	33.0
SC-5050TWF-B		150 leds, SMD 5050, 7.2W/m, white double layer PCB, 12V/24V DC, IP65 blue,40 lumen/m	reel/5m	US \$	39.0	37.0	35.0	33.0
SC-5050TWF-Y		150 leds, SMD 5050, 7.2W/m, white double layer PCB, 12V/24V DC, IP65 yellow,70 lumen/m	reel/5m	US \$	39.0	37.0	35.0	33.0
SC-5050TWF-W2		300 leds, SMD 5050, 14.4W/m, white double layer PCB, 12V/24V DC, IP65 5,500-7,000K white,670 lumen/m	reel/5m	US \$	48.0	47.0	46.0	45.0
SC-5050TWF-NW2		300 leds, SMD 5050, 14.4W/m, white double layer PCB, 12V/24V DC, IP65 4,000-4,500K natural white,640 lumen/m	reel/5m	US \$	48.0	47.0	46.0	45.0
SC-5050TWF-WW2		300 leds, SMD 5050, 14.4W/m, white double layer PCB, 12V/24V DC, IP65 2,700-3,200K warm white,610 lumen/m	reel/5m	US \$	48.0	47.0	46.0	45.0
SC-5050TWF-R2		300 leds, SMD 5050, 14.4W/m, white double layer PCB, 12V/24V DC, IP65 red,200 lumen/m	reel/5m	US \$	58.0	56.0	54.0	52.0
SC-5050TWF-G2		300 leds, SMD 5050, 14.4W/m, white double layer PCB, 12V/24V DC, IP65 green,520 lumen/m	reel/5m	US \$	58.0	56.0	54.0	52.0
SC-5050TWF-B2		300 leds, SMD 5050, 14.4W/m, white double layer PCB, 12V/24V DC, IP65 blue,90 lumen/m	reel/5m	US \$	58.0	56.0	54.0	52.0
SC-5050TWF-Y2		300 leds, SMD 5050, 14.4W/m, white double layer PCB, 12V/24V DC, IP65 yellow,150 lumen/m	reel/5m	US \$	58.0	56.0	54.0	52.0
Standard Accessory								
High Brightness 5050 Silicon sleeved								
Model No.	Photo	Descriptions	Measurment /Unit	Currency	Price			
					below 10	10-500	500-1,000	1,000-5,000
SC-5050TWF2-W		150 leds, SMD 5050, 7.2W/m, white double layer PCB, 12V/24V DC, IP65 5,500-7,000K white,310 lumen/m	reel/5m	US \$	32.0	31.0	30.0	29.0
SC-5050TWF2-NW		150 leds, SMD 5050, 7.2W/m, white double layer PCB, 12V/24V DC, IP65 4,000-4,500K natural white,290 lumen/m	reel/5m	US \$	32.0	31.0	30.0	29.0
SC-5050TWF2-WW		150 leds, SMD 5050, 7.2W/m, white double layer PCB, 12V/24V DC, IP65 2,700-3,200K warm white,280 lumen/m	reel/5m	US \$	32.0	31.0	30.0	29.0
SC-5050TWF2-R		150 leds, SMD 5050, 7.2W/m, white double layer PCB, 12V/24V DC, IP65 red 90 lumen/m	reel/5m	US \$	39.0	37.0	35.0	33.0
SC-5050TWF2-G		150 leds, SMD 5050, 7.2W/m, white double layer PCB, 12V/24V DC, IP65 green,240 lumen/m	reel/5m	US \$	39.0	37.0	35.0	33.0
SC-5050TWF2-B		150 leds, SMD 5050, 7.2W/m, white double layer PCB, 12V/24V DC, IP65 blue,40 lumen/m	reel/5m	US \$	39.0	37.0	35.0	33.0
SC-5050TWF2-Y		150 leds, SMD 5050, 7.2W/m, white double layer PCB, 12V/24V DC, IP65 yellow,70 lumen/m	reel/5m	US \$	39.0	37.0	35.0	33.0
SC-5050TWF2-W2		300 leds, SMD 5050, 14.4W/m, white double layer PCB, 12V/24V DC, IP65 5,500-7,000K white,670 lumen/m	reel/5m	US \$	48.0	47.0	46.0	45.0
SC-5050TWF2-NW2		300 leds, SMD 5050, 14.4W/m, white double layer PCB, 12V/24V DC, IP65 4,000-4,500K natural white,640 lumen/m	reel/5m	US \$	48.0	47.0	46.0	45.0
SC-5050TWF2-WW2		300 leds, SMD 5050, 14.4W/m, white double layer PCB, 12V/24V DC, IP65 2,700-3,200K warm white,610 lumen/m	reel/5m	US \$	48.0	47.0	46.0	45.0
SC-5050TWF2-R2		300 leds, SMD 5050, 14.4W/m, white double layer PCB, 12V/24V DC, IP65 red,200 lumen/m	reel/5m	US \$	58.0	56.0	54.0	52.0

SC-5050TF2-G2	300 leds, SMD 5050, 14.4W/m, white double layer PCB, 12V/24V DC, IP65 green,520 lumen/m	reel/5m	US \$	58.0	56.0	54.0	52.0
SC-5050TF2-B2	300 leds, SMD 5050, 14.4W/m, white double layer PCB, 12V/24V DC, IP65 blue,90 lumen/m	reel/5m	US \$	58.0	56.0	54.0	52.0
SC-5050TF2-Y2	300 leds, SMD 5050, 14.4W/m, white double layer PCB, 12V/24V DC, IP65 yellow,150 lumen/m	reel/5m	US \$	58.0	56.0	54.0	52.0
Standard Accessory	