

QUOTATION LIST

Main Products

Model	Name	Picture	QTY	Unit	FOB Price (USD)	Total Value (USD)	Specification	Notes
TD-9120-C	Walk-behind concrete saw/floor saw machine		1	Set	5000.00	5000.00	1) Motor power:12kw 2) Power supply:380v,60HZ 3) Max. blade diameter:800mm 4) Total weight:152kg Main cutting materials: highway road,flat concrete road,urban asphalt road,and stone in bridge,tap water supply system,thermal power pipeline and airport constructions,etc.	1) Imported motor comes with excellent power performance and extremely high working efficiency and reliability 2) Compact size and light weight,convenient transportation 3) Saw blade can be installed at two sides,allowing construction in narrow space
							Alternative Dia. choices in stock and other specifications can be customized according to customer requests	
		Amount to (USD):	1					
	SAID:							

Remarks

1). Price Terms: FOB GUANGZHOU

2). Payment Terms: 30% paid for deposit in advance by T/T before production arranged, the balance to be paid before shipment

3). Delivery Time: 15 days after receipt of deposit

4). Modes of Packing: Wooden case

5). Port of Shipment: GUANGZHOU

Warranty: One year free maintenance, service life –long(except man made fault and easy consumable spare parts)

Contact

Name: Amy Deng

Mobile(Whatapp):+8615815845943

E-mail: sales1@gztd888.com

Skype: amy380838284

Wechat: +8615815845943



Guangzhou Tiandi Special Engineering Machinery&Material Co., Ltd

No.401, Tianyuan Road, Tianhe District, Guangzhou City, Guangdong Province, China


Tel: +86-20-85645017 Fax: +86-20-38985520

www.wire-saw.com

QUOTATION LIST

Main Consumables

Model	Name	Picture	QTY	Unit	FOB Price (USD)	Total Value (USD)	Specification	Notes
TD-1050-WA	Diamond wire saw of sharp type(with connectors)		1	Meter	75.00	3750.00	1) Diameter:10.5mm 2) Bead/M:40 3) Manufacture Tech:Hot pressed sintering 4) Reinforcement:R+S 5) Cutting project:Iron components,steel column,concrete components with many iron-shaped angle,>=C50 Concrete standard,underwater concrete,etc. 6) Meters/box:50	1) No limitation of cutting depth 2) Can be used to cut large structures or constructions 3) Be suitable for all kinds of mining applications 4) High cutting efficiency 5) Flat and smooth cut sections 6) Low cost and easy operation 7) High safety and environment protection

TD-1050-WB	Diamond wire saw of sharp type(with connectors)		1	Meter	60.00	3000.00	1) Diameter:10.5mm 2) Bead/M:40 3) Manufacture Tech:Hot pressed sintering 4) Reinforcement:R+S 5) Cutting project:>=C50 Concrete standard and underwater concrete,etc. 6) Meters/box:50	1) No limitation of cutting depth 2) Can be used to cut large structures or constructions 3) Be suitable for all kinds of mining applications 4) High cutting efficiency 5) Flat and smooth cut sections 6) Low cost and easy operation 7) High safety and environment protection
TD-600-BLW	High power laser-welding wall saw blade		1	Pcs	130.00	130.00	1) Coating thickness:about 5mm 2) Surface hardness:about 3000-3300HV 3) Oxidizing temperature:450℃ 4) Friction coefficient:0.25 5) Center hole diameter:60mm	1.16 mm diamond sawtooth type super durable sharp blade 2.High quality concrete wall cutting saw blade diamond cutting blade 3.Wall saw blade laser welded 4.Concrete Wall Saw Diamond Blades for concrete sawing and concrete cutting
TD-800-BLW			1	Pcs	220.00	220.00		
TD-1000-BLW			1	Pcs	335.00	335.00		
TD-1200-BLW			1	Pcs	470.00	470.00		
TD-1400-BLW			1	Pcs	760.00	760.00		
TD-1600-BLW			1	Pcs	1000.00	1000.00		
TD-500-BCW	High power compound-welding wall saw blade		1	Pcs	120.00	120.00	1) Coating thickness:about 5mm 2) Surface hardness:about 3000-3300HV 3) Oxidizing temperature:450℃ 4) Friction coefficient:0.25 5) Center hole diameter:60mm	1. Shearwall 2. Floor 3. Bridge 4. Tunnel 5. Building components
TD-600-BCW			1	Pcs	130.00	130.00		
TD-700-BCW			1	Pcs	258.00	258.00		
TD-800-BCW			1	Pcs	267.00	267.00		
TD-1000-BCW			1	Pcs	442.00	442.00		
TD-1200-BCW			1	Pcs	580.00	580.00		
TD-1400-BCW			1	Pcs	980.00	980.00		
TD-1600-BCW			1	Pcs	1667.00	1667.00		
TD-1800-BCW			1	Pcs	2800.00	2800.00		
TD-2000-BCW(customized)			1	Pcs	3000.00	3000.00		

TD-200-RG	Rubber gasket		1	Pcs	42.00	42.00	1.High durability 2.Anti-slip 3.Excellent safety 4.Wear resistant	Collecting rope wheel of wire saw frame
TD-260-RG			1	Pcs	50.00	50.00		Guiding rollers
TD-300-RG			1	Pcs	58.00	58.00		Walk and drive flywheel of wire saw frame
TD-560-RG			1	Pcs	100.00	100.00		Large flywheel
TD-8250-CS	Hydraulic concrete core drilling machine		1	Set	8,000.00	8,000.00	1. Hole size range: 60 mm ~1000 mm 2. Can be swap three motors at the same time to achieve different power 3. Can be multi-angle by construction 4. Can be work underwater	1.German technology concrete diamond core cutting drill machine 2.hydraulic concrete core cutting pile machine,pile head breaker ,construction small tools You can adjust the angle of hydraulic drill rig optionally,horizontal,vertical,inverted and other arbitrary angle can be easily achieved
TD-60-C	Core barrel or Corebit		1	Pcs	16.00	16.00	Φ60mm*H450mm	
TD-100-C					28.00	28.00	Φ100mm*H450mm	
TD-200-C					60.00	60.00	Φ200mm*H450mm	
TD-300-C					110.00	110.00	Φ300mm*H450mm	
TD-400-C					135.00	135.00	Φ400mm*H450mm	
TD-500-C					167.00	167.00	Φ500mm*H450mm	
TD-600-C					305.00	305.00	Φ600mm*H450mm	
TD-50-S	Diamond Segment		1	Pcs	1.50	1.50	24mm*9mm*4mm	used for retipping of corebits Dia. 50mm
TD-60-S			1	Pcs	1.50	1.50	24mm*9mm*4mm	used for retipping of corebits Dia. 60mm
TD-70-S			1	Pcs	1.50	1.50	24mm*9mm*4mm	used for retipping of corebits Dia. 70mm
TD-80-S			1	Pcs	1.50	1.50	24mm*9mm*4mm	used for retipping of corebits Dia. 80mm
TD-90-S			1	Pcs	1.50	1.50	24mm*9mm*4mm	used for retipping of corebits Dia. 90mm

TD-1011-S	Diamond Segment		1	Pcs	1.50	1.50	24mm*9mm*4mm	used for retipping of corebits Dia. 100-110mm
TD-127-S			1	Pcs	1.60	1.60	24mm*9mm*4.5mm	used for retipping of corebits Dia. 127mm
TD-1314-S			1	Pcs	1.60	1.60	24mm*9mm*4.5mm	used for retipping of corebits Dia. 130-140mm
TD-1516-S			1	Pcs	1.60	1.60	24mm*9mm*4.5mm	used for retipping of corebits Dia. 150-160mm
TD-1719-S			1	Pcs	1.60	1.60	24mm*9mm*4.5mm	used for retipping of corebits Dia. 170-190mm
TD-200-S			1	Pcs	1.60	1.60	24mm*9mm*4.5mm	used for retipping of corebits Dia. 200mm
TD-225-S			1	Pcs	1.60	1.60	24mm*9mm*4.5mm	used for retipping of corebits Dia. 225mm
TD-250-S			1	Pcs	1.60	1.60	24mm*9mm*4.5mm	used for retipping of corebits Dia. 250mm
TD-300-S			1	Pcs	1.60	1.60	24mm*9mm*4.5mm	used for retipping of corebits Dia. 300mm
TD-350-S			1	Pcs	1.60	1.60	24mm*9mm*4.5mm	used for retipping of corebits Dia. 350mm
			Alternative Dia. Choices of Corebits and Diamond segments in stock and other specifications can be customized according to customer requests					
		Amount to (USD):	39					
	SAID:							

Remarks

- 1). **Price Terms:** EXW GUANGZHOU
- 2). **Payment Terms:** 100% paid by T/T before shipment
- 3). **Delivery Time:** 15 days after receipt of deposit
- 4). **Modes of Packing:** Carton packaging or Wooden case

5). Port of Shipment: GUANGZHOU

Warranty: One year free maintenance, service life –long(except man made fault and easy consumable spare parts)

Contact

Name: Tiffany Li

Mobile(Whatapp): +8613652872365

E-mail: sales3@gztd888.com

Skype: sales3@gztd888.com

Wechat:+8613652872365

Facebook:sales3@gztd888.com

--	--

--	--

--	--

