




SHANDONG LAND FITNESS TECH CO.,LTD

TaiShan Road, YinHe Economic Development Zone, NingJin Town, 253400 DeZhou City, ShanDong Province, China

Email: sarah@landfitech.com Cellphone: +86 18653459052

PRICE LIST

N O.	PICTURES	ITEM NO.	NAME	N. Weight (kg)	DEMENSION (L*W*H MM)	UNIT PRICE (FOB Tianjin)
1		LD-920	Belt Driven Spinning Bike with Counter	80	1. Load capacity:180kg 2. Size:1250x600x1150 (mm) 3.CE, RoHs & ISO9001 4. Machine Weight:85kg 5.Flywheel weight:24kg 6. Color Options: as customer required 7. Stuffing: PU foam with synthetic leather 8. indicator: time & distance& heart rate	\$280
2		LD-910	Belt Driven Spinning Bike	66	1. Load capacity:180kg 2. Size:1050x600x1150 (mm) 3.CE, RoHs & ISO9001 4. Machine Weight:70kg 5.Flywheel weight:24kg 6. Color Options: yellow/brown/green/red 7. Stuffing: PU foam with synthetic leather	\$220
3		LD-912	Transformer Belt Driven Spinning Bike	80	1220*630*1170mm	\$220
4		LD-915	Assault Bike/Air Bike	55	1293*592*1229mm	\$485

5		LDT-925A	LCD Screen Curve Treadmill	195	Power Supply (LCD Screen) N.Weight 195KG Max User Weight 180KG Noise Degree Below 80dB (A) Protection Level IP 20 Running Temperature From +5°C to +40°C Electrical insulation level II Level Product Dimension (L*W*H) 2009*890*1420mm Package: 1x20ft can load 12units, 1x40ft HQ can load 36units.	\$2,200
6		LDT-925B	Digital Display Curve Treadmill	195	Power Supply (LED Screen) N.Weight 195KG Max User Weight 180KG Noise Degree Below 80dB (A) Protection Level IP 20 Running Temperature From +5°C to +40°C Electrical insulation level II Level Product Dimension (L*W*H) 2009*890*1420mm Package: 1x20ft can load 12units, 1x40ft HQ can load 36units.	\$2,000
7		LDT-918A	Commercial Treadmill	260	Display:21.5in LCD touch type screen Rated voltage:220V AC Motor: 4.0HP AC Max power:6.0HP RPM:1750RPM Speed range:1-20km/h Incline range:0%-20% Running Board:T25*1345*690 Running Belt: T3.2*600*3265mm Roller: $\varnothing$ 90*714 Max user weight:200KG Net weight: 235KG	\$2,000
8		LDT-918B	Commercial Treadmill	260	Display:21.5in LED press type screen Rated voltage:220V AC Motor: 4.0HP AC Max power:6.0HP RPM:1750RPM Speed range:1-20km/h Incline range:0%-20% Running Board:T25*1345*690 Running Belt: T3.2*600*3265mm Roller: $\varnothing$ 90*714 Max user weight:200KG Net weight: 235KG Size:2400*990*1625mm	\$1,500

9		LDT-930A	Commercial Treadmill	280	Display:21.5in LCD Touching screen Rated voltage:220V AC Motor: 4.0HP AC Max power:6.0HP RPM:1750RPM Speed range:1-20km/h Incline range:0%-20% Running Board:T25*1345*690 Running Belt: T3.2*600*3265mm Roller: $\varnothing$ 90*714 Max user weight:200KG Net weight: 280KG	\$2,000
10		LDT-930B	Commercial Treadmill	280	Display:21.5in LED Pressed screen Rated voltage:220V AC Motor: 4.0HP AC Max power:6.0HP RPM:1750RPM Speed range:1-20km/h Incline range:0%-20% Running Board:T25*1345*690 Running Belt: T3.2*600*3265mm Roller: $\varnothing$ 90*714 Max user weight:200KG Net weight: 280KG	\$1,500
11		LDT-917A	Commercial Treadmill	230	Rated voltage:220V AC Motor: 3.0HP AC Max power:6.0HP RPM:1750RPM Speed range:1-20km/h Incline range:0%-20% Running Board:T25*1620*680 Running Belt: T3.2*545*3775mm Roller: $\varnothing$ 88*575 Max user weight:170KG Net weight: 220KG Size:2200*1000*1780mm	\$1,400
12		LDT-917B	Commercial Treadmill	230	Display:18.5in LED press type screen Rated voltage:220V AC Motor: 3.0HP AC Max power:6.0HP RPM:1750RPM Speed range:1-20km/h Incline range:0%-20% Running Board:T25*1620*680 Running Belt: T3.2*545*3775mm Roller: $\varnothing$ 88*575 Max user weight:170KG Net weight: 220KG Size:2200*1000*1780mm	\$1,050

13		LDT-1800A	Commercial Treadmill	200	Rated voltage:220V AC Motor: 3.0HP AC Max power:6.0HP RPM:1750RPM Speed range:1-20km/h Incline range:0%-20% Running Board:T25*1620*680 Running Belt: T3.2*545*3775mm Roller: $\varnothing$ 88*575 Max user weight:170KG Net weight: 220KG Size:2200mm*1000mm*1600mm	\$1,350
14		LDT-1800B	Commercial Treadmill	200	Display:18.5in LED press type screen Rated voltage:220V AC Motor: 3.0HP AC Max power:6.0HP RPM:1750RPM Speed range:1-20km/h Incline range:0%-20% Running Board:T25*1620*680 Running Belt: T3.2*545*3775mm Roller: $\varnothing$ 88*575 Max user weight:170KG Net weight: 220KG	\$1,000
15		LDE-02	upright bike		1. Load capacity:150kg 2. Size:1190*570*1460(mm) 3.CE, RoHs & ISO9001 4. Machine Weight:56kg 5.Driving system:self-generating electric 6. Flywheel weight:10kg 7. packing size	\$750
16		LDE-03	Recumbent Bike		1. Load capacity:150kg 2. Size:1700*7400*1380(mm) 3.CE, RoHs & ISO9001 4. Machine Weight:80kg 5.Driving system:self-generating electric 6. Crank:3PCS 7.Flywheel weight:10kg 8.packing size:1850x700x900mm	\$960
17		LDE-01	elliptical machine	115	1. Load capacity:144kg 2. Size:2190*690*1880(mm) 3.CE, RoHs & ISO9001 4. Machine Weight:115kg 5.Driving system:self-generating electric 6. Crank:3PCS 7.Flywheel weight:10kg 8.packing size :2300x600x860mm	\$1,110

18		LDE-13	Elliptical machine	130kg	2100*750*1650mm	\$880
19		LDE-04	Stepper	78	Luxury LCD display 15 setting adjustable electromagnetic control resistance system Imported driven belt from France Big & safe pedal Machine Size:1300*950*1860mm Packing	\$780
20		LDE-05	Rowing Machine	55kg	System:Motor Rowing machine Computer No.:SM5880 16 Levels Set up size:2340 x 520 x950 mm Export carton size:1050x 440 x940 mm Net weight: 55 Kgs Gross weight: 60 Kgs Container Loading: 20' = 62 pcs 40' = 132 pcs 40'H = 134 pcs	\$650
21		LD-919	Climbing machine	650	1.Function : climbing training 2.Motor:0.75KW 3.Rated Voltage: 220 V 4.Machine color : Customized 5.Packing : wooden case 6.Accessories:Pull Rope;Belt 7.Warranty period:10 years 8.Net weight:650 KG,GROSS WEIGHT 700KG 9.1980*1100*2000mm	\$1,200
22		LDE-06	Water Rowing Machine	27	1. Dim:2000x540x510mm 2. weight :27kg	\$500

23		LDE-09	Wooden Water Rowing Machine	55	1. Dim:2200x600x590mm 2. weight :55kg	\$650
24		LDE-07	Physical Tester	56	Dim:500*510*1190mm	\$2,235
25		LD-926	AB Coaster	65	1.Packing:1pc/ctn 2.G.W./N.W.:21.5/24KGS 3.Meas:1852*720*1500mm 4.Container: Qty/20' FCL: 174pcs Qty/40' FCL: 348pcs Qty/40' HQ : 420pcs	\$320

Remarks :

1. Payment Terms: T/T 30% in advance,the balance should be paid before the shippment.
2. Delivery: Within 30 days upon receipt of 30% deposit.
3. Validity: Within Two months from the issuance date of this Quotation;
4. Spare Parts: 2% of total amount easy worn spare parts is provided, Pls inquire for the Spare Part L

Warranty period:

Structural steel frame:5 years

Rotary bearing,weight stack,pulley,guide rods,structural parts:2 years

Cable,linear bearing,spings,Upholstery,pads,handgrips:1 year

Powder coating:3 years