Item#	Picture	Details	Box Size	G.W (kgs)	N.W. (kgs)	FOB Lianyungang(
JX-7056WE	© Consider © Safety predat © Safety pr	Main Frame: 30×60×2.0mm Console: LCD window Display:Scan ,Display ,Time,Speed,Distance,Calorie Fly Wheel:Ø460mm, 18kgs dual driving flywheel Max user's weight: 135kgs Assembly Size: 1150×520×1160mm Feature:Transport wheels easy to movement Pedal:Self leave with safety straps(steel)	1090x820x225m m	45.5	41	\$126.00
JX-7050A		Console: 3.5"LCD window Display: Scan ,speed, time, Dis, Cal,Pulse,ODO Fly Wheel: 4kgs internal fly wheel 8 level manual resistant adjustment Max user weight: 125KGS Assembly size: 1100600×1660mm	760×565×260mm	25.5	23.5	\$78.00

JX-DS522	TX rings	Adjustable PU seat and self leaving pedal with safety straps. Mains powered. Programmable resistance system. Hand grip pulse sensor. 12 user programmes. Programmes include: pre-set. Console feedback including: sca, speed, ime, distance, calories and pulse. 16 level tension control. 7kg flywheel. Self levelling pedals with pedal straps. Adjustable seat. Adjustable handlebar. Maximum user weight 125kg (19st 10lb). Assembly size:133x55x95cm	885*255*605mm	31	28	\$129.40
JX- 7102/DS55 1		5.4" Blue Bright LCD Window 5kgs internal fly wheel 16 level program risistant adjustment Max User's body weight: 125Kgs Assembly size:1050x500x1300mm	1#:885x265x610 mm 2#:885x205x150 mm	1#:22.5 2#:9	1#:18.5 2#:7.5	\$105.00

JX- 7202/DS58 8	5.4" Blue Bright LCD Window 6kgs internal fly wheel 16 level program risistant adjustment Max User's body weight: 125Kgs Assembly size:1250x780x1570mm	1070x435x560m m	47.5	43	\$136.00
JX-7101	3.5" LCD Window 3.5kgs fly wheel 8 level manual risistant adjustment Max User's body weight: 125Kgs Assembly size:960x500x1200mm	765x250x625mm	25	23.8	\$76.00
JX-7201	3.5" LCD Window 4.5kgs dual driving internal fly wheel 8 level manual risistant adjustment Max User's body weight: 125Kgs Assembly size:1180x780x1650mm	1#:1015x255x530 mm 2#:980x450x180 mm	1#:24	1#:20 2#:15.5	\$115.00

JX-7039B	Consloe: 2" LCD Window Display: Scan Speed Time Dis. Cal. Pulse ODO Fly Wheel: 2.8kgs dual driving internal fly wheel 8 level manual risistant adjustment with adjustable height PU seat pad. With transport wheels Max User's body weight: 100Kgs Assembly size: 73*42*123cm	117x39.5x24cm	19	16	\$64.00
JX-2502C	Ø460mm 18KGS fly wheel with Breaker adjustable resistance system Max User's body weight: 110Kgs Assembly size:1150x520x1160mm	1090x810x228m m	47.6	42.7	\$107.00
JX-7038D	LCD Window Ø460mm 14kgs fly wheel with Breaker adjustable resistance system Max User's body weight: 125Kgs Assembly size:1150x520x1160mm Seat can be adjusted forward back up and down	1170x880x250m m	45	40	\$136.00

JX- 7056/DS70 77		1.3" LCD Window Ø460mm 13kgs fly wheel Max User's body weight: 110Kgs Assembly size:1260x540x1050mm with Breaker adjustable resistance system Seat can be adjusted forward back up and down	1060x810x228m m	40	37	\$110.00
JX-7038W	WIND.	LCD Window Ø460mm 18kgs fly wheel with Breaker adjustable resistance system Max User's body weight: 125Kgs Assembly size:1150x520x1160mm Seat can be adjusted forward back up and down	1170x880x250m m	50	44	\$138.00
JX-7038		LCD Window Ø460mm 14kgs fly wheel with Breaker adjustable resistance system Max User's body weight: 125Kgs Assembly size:1150x520x1160mm Seat can be adjusted forward back up and down	1170x880x250m m	45	40	\$136.00

JX-7056	1.3" LCD Window Ø460mm 13kgs fly wheel Max User's body weight: 110Kgs Assembly size:1260x540x1050mm with Breaker adjustable resistance system Seat can be adjusted forward back up and down	1060x810x228m m	40	37	\$110.00
JX-7055W	1.3" LCD Window Ø460mm 13kgs fly wheel Max User's body weight: 110Kgs Assembly size:1260x540x1050mm with Breaker adjustable resistance system Seat can be adjusted forward back up and down	1060x810x228m m	40	37	\$110.00