

Shenzhen Sanxing Feirong Machine Co., Ltd.

Songgang Avenue 38, Songgang Town, Baoan District, Shenzhen City, Guangdong Province, China

Tel: 86-755-27055365 Fax: 86-755-27054381 Web: www.china-sxjx.com

QUOTATION

报价单

Quote Number 订单号	SPT0.5W-OGA-201228	Quote Date 日期	Dec 28, 2020
Supplier 供方	Shenzhen Sanxing Feirong Machine Co., Ltd. 深圳市叁星飞荣机械有限公司		
Address 地址	Songgang Avenue 38, Songgang Town, Baoan District, Shenzhen, Guangdong, China 深圳市宝安区松岗街道松岗大道 38 号		
Contacts 联系人	Longhua Xiang	Telephone 电话	86-755-27055365
Fax 传真	86-755-27054381	Mobile 手机	86-15818529303
Wechat	18923490439	E-Mail 邮箱	huaamestrong@126.com

Buyer 买方			
Address 地址	ES,Spain,Pais Vasco,Bilbao		
Contacts 联系人	Oscar Garc ía	E-Mail 邮箱	ogarcia@digitisignum.es
手机 Mobile	/	电话 Tel.	34658788079

I .Items and Quotation 项目及报价

No 序号	Describe 型号描述	Unit 单位	Quantity 数量	Unit Price (USD) 单价	Sum (USD) 金额	Remark 备注
1	SP-T0.5W 立式无轴封无筛网砂磨机 SP-T0.5W vertical stirred bead mill without sieve and shaft sealing	set	1	14800	US\$14,800.00	
2	Φ0.2mm Zirconia beads (95) Φ0.2mm 氧化锆珠 (95)	kg	1.5	120	US\$180.00	Optional
3	3HP 风冷式工业冷水机 3HP Chiller	pc	1	1860	US\$1,860.00	Optional
4	2.04kW Air compressor 2.04kW 空气压缩机	set	1	550	US\$550.00	Optional
5	Total:				\$17,390.00	
6	NOTE: 1.The above prices are FOB Price, include package, and export charges. 2.The installation and commissioning fee is not included in the price. If need to install on-site, the buyer needs to pay for the round-trip flight ticket and expenses for board and lodging during the engineer's stay.					

Shenzhen Sanxing Feirong Machine Co., Ltd.

Songgang Avenue 38, Songgang Town, Baoan District, Shenzhen City, Guangdong Province, China

Tel: 86-755-27055365 Fax: 86-755-27054381 Web: www.china-sxjx.com

II. Terms of Payment: 50% down payment to be paid by T/T; 50% balance to be paid by T/T before shipment.

付款方式：预付定金 50%，剩余 50% 货款发货前付清。

III. Delivery lead time: Within 45 weekdays after the seller receiving the down payment date.

交货时间：供方收到定金后 45 个工作日内。

IV. Shipping terms: FOB

货运条款：FOB

V. Warranty Service 保修服务:

1. Warranty: Twelve months after commissioning of the equipment to the buyer for normal production (except for damage caused by human failure or force majeure).

保修时间：设备到达买方处调试正常后 12 个月（人为或不可抗力因素造成的损坏除外）。

2. Warranty period: Equipment failure free maintenance by the supplier. If necessary, 1-3 working days to send engineers to the buyer's place.

保修期内：设备故障由供方免费维修，如需上门，1-3 个工作日内派遣工程师到买方现场维修。

3. After warranty: On-site maintenance need to collect travel expenses, room and board fees, labor costs, parts costs, etc..

保修期外：现场维修需收取差旅费、住宿费、人工费、零件费等费用。

VI. Configuration of Equipment 设备配置

1. SP-T0.5W Stirred Beads Mill without Sieve and Shaft Sealing SP-T0.5W 立式无轴封无筛网砂磨机



Model	Volume (L)	Power (kW)	Rotation speed (r/min)	Flow rate (kG/h)	Bead diameter (mm)	Beads loading (vol. %)	Size (mm)	Weight (kG)
SP-1.5	1.5	7.5	1461	80-100	0.1-1.2	65-80	L1160×W933×H1502	590
Motor model 电机型号			220V, 50Hz Explosion-Proof Motor 220V, 50Hz					

Shenzhen Sanxing Feirong Machine Co., Ltd.

Songgang Avenue 38, Songgang Town, Baoan District, Shenzhen City, Guangdong Province, China

Tel: 86-755-27055365 Fax: 86-755-27054381 Web: www.china-sxjx.com

VFD 变频器	Shenzhen Invt VFD 深圳英威腾变频器
Shaft seal model 轴封型号	No shaft sealing structure 无轴封结构
Pumps 料泵	2pcs of 1 inch Tapflo pneumatic diaphragm pump 1 寸特夫洛气动隔膜泵 1 个
Rotor material 转子材质	Zirconium oxide 氧化锆
Rotor structure 转子结构	Turbine-agitator with pins+inner stator 涡轮销钉+内定子
Barrel material 缸筒材质	Silicon carbon or Zirconium oxide 碳化硅或氧化锆
Pins material 销钉材质	Zirconium oxide 氧化锆
Discharge method 出料方式	Centrifugal separation without sieve 无筛网离心分离
Discharge clearance 出料间隙	Discharge by large-caliber pipe without sieve 无筛网大口径出料
Operation box 操作电箱	Explosion-Proof Motor operation box 防爆操作箱
Operation line 操作线路	Explosion-Proof operation line 防爆操作线路
Electric control device 电控装置	TAIAN contactor, OMRON relay 台安接触器, 欧姆龙继电器
Bearing model 轴承	Japanese NSK bearing 日本轴承
Liquid level protection 液位保护	Host will shut down automatically when the liquid level lower than the set value. 液位低于设定值, 主机自动停机
Thermometer 温度计	Host will shut down automatically when the material temperature higher than the set value. 防爆温度表, 高于设定值自动停机
Sealing 密封件	SEALTECH sealing 台湾司达行
Pulley 皮带轮	WOTLTED European pulley 进口欧式皮带轮
Belt model 皮带	Japanese MITSUBOSHI belt 进口三星皮带
Pipes 输料管	Italian solvent resistant transporting pipes 进口耐溶剂输料管
Pipe-connecting mode 料管连接方式	304 quick clamps 304 快速夹
Grinding intermediate 研磨介质	Zirconia beads 氧化锆珠
Maintenance tools 保养工具	A set of maintenance tools 赠送保养工具一套