

GLAZED PORCELAIN TILES
KITO CERAMICS
2015 NEW COLLECTIONS
STONE-LOOK,
MOSAIC, 2CM THICK TILES,
AND WOOD TILES

Guangdong KITO Ceramics Co., Ltd.

Tel: +86-757-82533646

Fax: +86-757-82533866

E-mail: export@kito.cn

Website: www.kito.cn

B1, Ceramics International Trading Center ,
Jihua Western Rd, Foshan, Guangdong, P.R.C
Post code: 528061

KITO

Beyond Your Imagination.



Leading Glazed Tile Supplier

A top player specialized in top-grade glazed porcelain tiles production with more than 39 years experience.

R & D Center

More than 120 engineers and professors,
43 types of technology and product patents.

TQC System

In accordance with CE(EN14411:2012) standard.

Products Range

Size: 100x100 mm to 600x1200 mm.

Thickness: 4.8mm to 20mm

Surface: full polished, lappato, matt and rough finish.

Technique: silk printing, roto printing, inkjet printing

Contents

13	<i>Ales</i>	31	<i>Basalt Stone</i>
15	<i>Amanda</i>	33	<i>Cement</i>
17	<i>Cassero</i>	35	<i>Quarzite</i>
19	<i>Old Wood</i>	37	<i>Blue Stone</i>
21	<i>Spring</i>	39	<i>Slatestone</i>
23	<i>Crystal White</i>	39	<i>Limestone</i>
25	<i>Patterns</i>	41	<i>Accessories</i>
27	<i>Mosaic</i>	43	<i>Packing &Weight</i>
		44	<i>Technical Information</i>



Inspiration from Italy,
Simple and elegant.

ALES



Inspiration from Italy,
Clear and rich texture.

AMANDA

KITO 03/04



Inspiration from Italy,
6 random patterns changes
with harmonious combination.

CASSERO



Inspiration from Italy,
Nature ,
Solid timber.

OLD WOOD




Inspiration from Italy,
Unique texture,
Comprehension of the
sunshine spring.

SPRING



CRYSTAL WHITE

Capturing the essence from nature,
Color and texture are perfect match.



K1263516TA
matt




K1263517TA
matt



K1263517TAP
lappato


K1263518TA
matt

K1263518TAP
lappato



K1263519TA
matt

K1263519TAP
lappato



K1263525TA
matt

K1263525TAP
lappato



Amanda



K1263513TA
matt

K1263513TAP
lappato



K1263514TA
matt

K1263514TAP
lappato



K1263515TA
matt

K1263515TAP
lappato



size:

1200×600

600×600

Cassero



K1263520TA



K1263521TA



K1263522TA



K1263523TA



Old Wood



K1223435MA



K1223436MA



K1223437MA



K1223438MA



K1223439MA



Spring




K1223440MA



K1223441MA



K1223442MA




K1223443MA




K1223445MA



Crystal White



K0605019YA / K0605019YAF 600×600
K0805019YA / K0805019YAF 800×800
matt / full polished




K0605020YA / K0605020YAF 600×600
K0805020YA / K0805020YAF 800×800
matt / full polished



K060671YAF 600×600
K080871YAF 800×800
full polished


8 Patterns



size:



800×800



600×600

Ales

6 Patterns



Cassero

6 Patterns



Amanda

7 Patterns



Spring

18 Patterns



Old Wood

27 Patterns



Mosaic

12 designs of mosaic;
design reference from column A to column L;
every products cutting into mosaic accepted.



A 600x520




B 260x300




C 234x256



D 295x300



E 300x300



F 300x300



G 300x350



H 300x300



I 300x300




J 257x269



K 300x150










L 300x150



























Packing And Weight . упаковка и вес

sizes(mm) размер	box. Коробка			pallet (1.2X0.8M) Паллет			Container. Контейнер			
	pcs. шт	sqm м.кв	kg кг	box кор	sqm м.кв	kg кг	box кор	pallet палл	sqm м.кв	kg кг
1200×600×11.5	2	1.44	40	40	57.6	1600	440	22	966.24	26840
1200×600×11.5	2	1.44	40	21	30.24	840	231			
1200×300×11.5	4	1.44	40	26	37.44	1040	572	22	823.68	22880
1200×200×11.5	6	1.44	40	36	51.84	1440	648	18	933.12	25920
600×600×10	4	1.44	32	32	46.08	1024	832	26	1198.08	26624
600×300×10	8	1.44	32	32	46.08	1024	832	26	1198.08	26624
600×150×10	10	0.9	21	50	45	1050	1250	25	1125	26250




2CM Tiles Packing & loading info:

600X600X20mm-- 2pcs/ 32kgs/carton, 26 ctns/pallet, 832 ctns/26624kgs/ 20'ctnr.

600X1200X20mm-31pcs/1054kgs/crate, 754pcs/25crates/20'ctnr

800X800X20mm-48pcs/1460kgs/crate ,912pcs/19crates/20' ctnr



Technical Information

Technical Features	Unit of Measurement	Euro Standard	Chinese Standard (GB/T4100-2006)	KITO Actual Value				Test Method
				600×600mm	800×800mm	1200×600mm	500×500mm	
Water absorption	%	≤0.5	≤0.5	0.12	0.15	0.12	0.17	UNI EN ISO 10545-3
Dimensions Length and width	%	± 0.6max	± 0.6max	± 0.2	± 0.2	± 0.2	± 0.2	UNI EN ISO 10545-2
Thickness	mm	± 1.0max	± 1.0max	± 0.3	± 0.3	± 0.3	± 0.3	UNI EN ISO 10545-2
Side Straightness	%	± 0.5%	± 0.3%	± 0.3%	± 0.3%	± 0.3%	± 0.3%	UNI EN ISO 10545-2
Corner Squariness	%	± 0.6max	± 0.4max	± 0.2	± 0.2	± 0.2	± 0.2	UNI EN ISO 10545-2
Flatness	%	± 0.5max	± 0.4max	0.1	0.1	0.1	0.1	UNI EN ISO 10545-2
Breaking Strength	N	sp>=7.5mm, >=1300	sp>=7.5mm, >=1300	2356	3017	3032	2231	UNI EN ISO 10545-4
	N	sp<7.5mm, >=700	sp<7.5mm, >=700	2247	3025	3207	2024	
Modulus of rupture	N/mm²	≥35	≥35	42	38.8	38.6	48.5	UNI EN ISO 10545-4
Thermal shock Resistance	—	Testing method available	Testing method available	Conform	Conform	Conform	Conform	UNI EN ISO 10545-9
Frost-Resistance	—	Testing method available	Testing method available	Conform	Conform	Conform	Conform	UNI EN ISO 10545-12
Resistant to acids and low Concentration bases	—	Testing method available	Testing method available	GA class	GA class	GA class	GA class	UNI EN ISO 10545-13
Stain Resistance	—	≥3class	≥3class	5class	5class	5class	5class	UNI EN ISO 10545-14