



**Ceramic product  
E-catalog  
KITO**

July 2017

## Why, **KITO** Beyond your imagination

### Leading Porcelain Tile Supplier

KITO is a specialized porcelain tile manufacturer in China.

It has more than 39 years of experience in producing top-grade glazed tiles.

### R and D Center

More than 120 engineers and professors, 43 types of technology and product patents.

### Product Range

Size: 100×100 mm to 900×1800 mm

Thickness: 4.8mm to 20mm

Surface: Full polished, Lappato, matt, and rough finish

Technique: Screen printing, rotogravure printing, inkjet printing

[Read More](#)

### TQC System

In accordance with EN14411:2012 standard

## **GUANGDONG KITO CERAMICS GROUP CO.,LTD.**

Add:Building T6 Smart City,Jihua 1RD,

Chancheng District,Foshan City,Guangdong,China.PC:528000

**Tel:** 0757 8253 3646

**Fax:** 0757 8253 3866

Email:[thankyou@kito.cn](mailto:thankyou@kito.cn)


<http://www.kitoceramic.com/>

With experience of over 38 years in ceramic production, KITO Ceramics Group is one of the leading manufacturers specialized in top-grade glazed porcelain and ceramic tiles located in China. 2000 employee, 10 production lines , We are cooperation with most of big customers, such as . Marrazzi ,ICC ...





# KITO SHOWROOM





# Product line summary

| Description                                                                         | Last year sales in USD | Annual capacity | Lead Time  | Key customers |
|-------------------------------------------------------------------------------------|------------------------|-----------------|------------|---------------|
| glazed porcelain tile/<br>formed ceramics                                           | 188M USD               | 23.5M sqm       | 30~45 days | see p9        |
|  |                        |                 |            |               |

# KITO *Footprint*



 **KITO** *Manufacturing locations*  
Over 2000 staff in China

# Machinery & Equipment



PCY High Temperature Horizontal Type Dilatometer



TMY Porcelain Tile Friction Meter



Water Absorption Testing Machine



Drying Oven



Bending Tester-for Hardness Inspection



Flame Photometer



Baking Oven



Electrothermal Constant-Temperature Dry Box



Resistance Furnace



Experimental Material



High Speed Ball Mill



Glazed Tile Surface Wear Resistance Tester



|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                           |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <br><b>EMS CERTIFICATE</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                           |
| Registration No.: 02514E20093R0M<br><b>GUANGDONG KITO CERAMICS CO., LTD</b><br>(Certificate of Organization Code: 75801885-6)<br>No.1-25, District I Porcelain sea international ceramic trading center.<br>No.168, Jihua West Road, Changsheng District, Foshan City,<br>GuangdongChina. Zip code: 528000<br>Has been found to comply with<br>GB/T24001-2004 idt ISO14001:2004<br><b>"Environmental management systems-Requirements with guidance for use"</b><br>This registration is subject to the following area<br>Guangdong KITO Ceramics Co., Ltd, located at Sada Private<br>Development Area, Southwest of River Street, Sanshui District, Foshan City,<br>Guangdong, China, is involved in Production, Sales and Service Of<br>Ceramics Tiles. |                                                                                                                                                                                                           |
| Approved organization will be monitored annually by GIC, and this certificate is valid, when<br>surveillance tag has been sticked to specified site on it. Effective certificate would be inquired<br>to <a href="http://www.ecma.org.cn">www.ecma.org.cn</a> or <a href="mailto:www.ecma@163.com">www.ecma@163.com</a>                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                           |
| Initial Issuing Date: Apr 04, 2014<br>Revision Date: May 18, 2015<br>Valid Period: Apr 04, 2014 ~ Apr 03, 2017                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | General Manager:                                                                                                         |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                           |
| <br>EMS<br>CERTIFICATION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <br><br>MANAGEMENT SYSTEM<br>CNAS-GBR-0 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                           |



## Reference clients

MARAZZI  
GROUP



*Emser Tile*

HOME CENTER  
SODIMAC



Interceramic®  
CRAFTED FOR LIFE



# Why KITO

- **R&D Center**
- More than 120 engineers and professors .
- 43 types of technology and product patents
- **Product Range**
- Size:from 100x100mm to 900x1800mm
- Thickness:4.8mm to 20mm
- Surface:full polished ,lappato ,matt and rough finish
- Techniques:screen printing, rotogravure printing,,ink-jet printing
- **Production Capacity**
- Two production bases in Foshan and Jindezhen,
- with 10 production lines and annually output of 20 million square meters.
- **Shorter lead time**
- 45 days for regular items
- Less than 30 days for urgent order
- **TQC System**
- In accordance with EN14411:2012 standard.

# R&D Center

- 120 engineers and experts ,  
include 3 Italian designers & engineers
- 43 types of technology & patents






## R&D Center

- Close cooperation with Italian and Spain suppliers and partners
- SYSTEM,SACMI,TORRECID



# Size Range



# Surface Range



rough



matte



lappato



full polished

# Techniques

- roller printing, silk-screen printing,
- ink-jet printing, or mixed, etc.





## Massive Capacity



# KITO Marketing




International marketing  
based on exclusivity  
by country or  
by product collections

CARRARA

K1893621YAM 1800x900x11mm

Patterns: 4

Luminosity: 35°




CALACATTE WHITE

K1893273YAM 1800x900x11mm

Patterns: 5

Luminosity: 35°





TAAFFE

K1893622YAM 1800x900x11mm

Patterns: 7

Luminosity: 55°





BLACK MAMBA

K1893623YAM 1800x900x11mm

Patterns: 6

Luminosity: 75°



STELLA

K1893565TAP 1800x900x10mm

Patterns: 6

Surface: Lappato








MEDIUM GREY & BEIGE GREY

MASALUSA

K1893751DAP 1800x900x11mm

Patterns: 4

Surface: Lappato



The image consists of three vertical panels, each showing a wood grain texture. The left panel is brown, the middle panel is white, and the right panel is black. The wood grain is oriented horizontally. The text 'BROWN', 'WHITE', and 'BLACK' is centered in each panel respectively.

BROWN

WHITE

BLACK



# Sandstone

Color: 3 colors ,color body

**Size:** 1200X600X10mm

**Finish:** Lappato  
1 mould, 18 patterns

**Size:** 1200X200mm

**Finish:** Rough  
4 moulds, 54 patterns



K1263555TAP  
1200X600mm  
K1223545TA  
1200X200mm



K1263558TAP  
1200X600mm  
K1223548TA  
1200X200mm



K1263559TAP  
1200X600mm  
K1223549TA  
1200X200mm



# Etna

**Size:** 1200X600x10mm

**Finish:** Matt/Lappato

40~48 patterns

Color: 3 colors



K1263550TAP 1200×600



K1263551TAP 1200×600



K1263552TAP 1200×600

# Ales



K1263516TAP



K1263517TAP


**Available Size:**600X1200X11.5mm  
600X600X10mm  
600X600X10mm

**Finish:**Lappato & Matt





# Ales



K1263525TAP



K1263518TAP



K1263519TAP



# Amanda

**Available Size:**  
600X1200X11.5mm  
600X600X10mm

**Finish:**Lappato & Matt  
**Color:** 3 colors



**Amanda**





# Cassero



K1263522TA



K1263523TA



size:



1200x600mm/ 48x24"



600x600mm/ 24x24"

**Available Size:**

600X1200X11.5mm

600X600X10mm

**Finish:** Matt

**Color:** 4 colors

# Cassero

K1263520TA



K1263521TA





# Landscape

**Available Size:**  
900X900X11.5mm  
900X450mm  
600X600X10mm  
600x300mm

**Finish:** Lappato ,sugar effect  
**Color:** 2 colors



K0903712DAP  
K0603712DAP



K0903713DAP



# Hyatt

**Available Size:**

900X900X11.5mm

900X450mm

600X600X10mm

**Finish:** Lappato ,sugar effect

Color: 3 colors



K0903715DAP



K0903716DAP



K0903717DAP



**Hyatt**





# Pavers

**Available Size:**  
325X83mm

**Finish:** Matt  
color: 5 colors  
**Non-rectify**



K3283374GA



K3283375GA



K3283376GA



K3283377GA



K3283378GA



K3283378GA 80 patterns





# Rock

**Available Size:**1200X600X10mm

**Finish:**Lappato

**Color:** 2 colors



K1263538TAP



K1263539TAP

# Story I

**Available Size:**  
900X900X11.5mm  
900X450mm  
450X450mm

**Finish:**Sugar effect

K0903729GAP

K9453729GHJ



K0903730GAP

K9453730GHJ





**Legend**

**Available Size:**  
1200X200X10mm  
**Finish:** Matt  
Color: 3 colors

K1223464MA



K1223465MA



K1223466MA





# Legend





# Pastoral

**Available Size:**


1200X200X10mm

**Finish:** Matt

**Color:** 2 colors



K1223446MA



K1223447MA



K1223447MH (decor)





# Old Wood

**Available Size:**

600X1200X11.5mm

200X1200mm

**Finish:** Matt

Color: 5 colors



K1223435MA



K1223436MA



K1223437MA



# Old Wood

**Available Size:**  
200X1200x11.5mm



K1223438MA



K1223439MA





# Spring

K1223440MA



K1223441MA



K1223442MA



K1223443MA



K1223445MA



**Available Size:**  
200X1200X11.5mm  
**Finish:** Matt  
Color: 5colors

# Spring





# Ivory Wood

**Available Size:**

1200X600X11.5mm

1200X200X11.5mm

**Finish:** Lappato

Color: 3 colors



K1223461MAP



K1263462MAP



K1263461MAP



K1263463MAP



# Birch forest

**Available Size:**  
900X150X11.5mm

**Finish:** Matt / Lappato  
**Color:** 3colors



K9153224MAP



K9153225MAP



K9153226MAP



K9153224MHP (decor)

# Sloophout

**Available Size:**  
900X150X11.5mm

**Finish:** Matt  
**Color:** 3 colors





# Wild warm wood

**Available Size:**  
900X150X11.5mm

**Finish:** Matt



K915880MA



K9153231MA



K9153418MA




# Fabric



K0603541DA



K0603542DA



K0603543DA



K0603544DA



K0603541DH-1 (decor)



K0603541DH-2(decor)



K0603541DH-3(decor)

**Available Size:**

600X600mm

600X300mm

**Finish:**Matt

Color: 3 colors

# Burlington



K0603736DAP-White



K0603737DAP-Beige



K0603738DAP-Light grey



K0603739DAP-Dark grey



K0603740DAP-Brown



K0603741DAP-Black

## **Available Size:**

600X600mm


600X300mm

## **Finish:**Lappato & matt

Color: 5 colors



Decor Series



K0603529TH-2



K0603526TH-2



K0603245DHP



## Decor Series



K0603722DH



K0603249DHP



K0603351GHP



K0603723DH



K0603726DH



# Element 3



COTTON R10      Matt  
COTTON R10P      Lappato  
COTTON R11      Rough



CONCRETE R10      Matt  
CONCRETE R10P      Lappato  
CONCRETE R11      Rough



ASH R10      Matt  
ASH R10P      Lappato  
ASH R11      Rough

**Available Size:**

600X600mm

600X300mm

**Finish:** Matt / Lappato / Rough



GRAFITE R10      Matt  
GRAFITE R10P      Lappato  
GRAFITE R11      Rough



SAND R10      Matt  
SAND R10P      Lappato  
SAND R11      Rough



OLIVE R10      Matt  
OLIVE R10P      Lappato  
OLIVE R11      Rough



STONE R10      Matt  
STONE R10P      Lappato



# Metamorphosis



KGQD060624P

600x600x10mm



KGQD060628P

600x600x10mm



KGQD060625P

600x600xmm



KGQD060627P

600x600x10mm

**Available Size:**  
600X600x10mm  
600X300mm

**Finish:** Lappato

# Leonardo



K060773DA      600x600x10mm



K060774DA      600x600x10mm



K060775DA      600x600x10mm

**Available Size:**  
1200X600X11.5mm  
600X600X10mm

**Finish:** rough



K126773DA      1200x600x11.5mm



K126774DA      1200x600x11.5mm



K126775DA      1200x600x11.5mm



# Groove

**Available Size:**  
800X800mm  
600X600mm

**Finish:** Matt



KGQD080767  
KGQD060767

800x800x11.5mm  
600x600x10mm



KGQD080768  
KGQD060768

800x800x11.5mm  
600x600x10mm





KGQD080769  
KGQD060769

800x800x11.5mm  
600x600x10mm

# ***Outdoor Porcelain Tiles 2CM(thickness)***

- **Advantages:**
  - Natural Stone Texture
  - Anti-slip R11
  - High Breaking Strength
- **Technical data**
  - Thickness:20mm
  - Water Absorption:  $\leq 0.5\%$
  - Breaking Strength: $\geq 10200\text{N}$
  - Modulus of Rupture:Minimum $\geq 35\text{N/mm}^2$
  - Static Coefficient of Friction:Dry:0.87,Wet:0.59





Basalt stone



K0606503DAZ 600X600X20mm



→ real photo




K0606033DAZ 600X600X20mm

# Cement



real photo



K0603704DAZ  
600X600X20mm



K0606419DAZ  
600X600X20mm



K0606420DAZ  
600X600X20mm





# Cement



K0606419DAZ



K0606420DAZ



K0603516DAZ

K0603525DAZ

Ales  
600X600X20mm


K0603517DAZ

K0603519DAZ


K0603518DAZ

→ real photo

# Blue stone




K0606501DAZ 600x600x20mm



K0606502DAZ 600x600x20mm



# 2CM tile



K0606418DAZ 600x600x20mm



K0606530DAZ 600x600x20mm



K0606533DAZ 600x600x20mm



# Onyx



K0903270YAM onyx



**Available Size:**

900X900mm

900X450mm

**Finish:** Soft polished



K0903271YAM onyx





# Euro Marble

## Available Size:

900X900mm

900X450mm

**Finish:** Soft polished

K0903610YAM-Beige White



K0903612YAM-Grey Color





K0903611YAM-Apricot Color



K0903613YAM-Brown Color

K0903614YAF 900x900 Sicilly




## Marble tile

**Available Size:**

900X900mm

900X450mm

**Finish:** Full polished



K060671YAF



K060671YAF roto print design



## Marble tile

### Available Size:

900X900X11.5mm

900X450X11.5mm

600X600X10MM


600X300X10MM

**Finish:** soft polished



K0903273YAM 900\*900 Calacatte Gold  
K0603273YAM 600\*600

K0903278YAM 900\*900 Ariston  
K0603278YAM 600\*600



K0903260YAM 900\*900 White crema marfil  
K0603260YAM 600\*600

K0903287YAM 900\*900 Monica



# Marble tiles



K0903276YAM K0903269YAM  
K0903272YAM K0903269YAM

**Available Size:**

900X900mm

900X450mm

**Finish:** Soft polished





# Calacatta

**Available Size:**

600X600mm/

800X800mm

**Finish:**Full polished



K0605020YAF



K060658YAF



K0605019YAF 600\*600



K0903266YAM 900\*900 Calacatta

# packing and weight. упаковка и вес

| sizes(mm)<br>/размер | box.<br>Коробка |             |          | pallet(1.1X1.1M)<br>Паллет |             |          | Container.<br>Контейнер |             |             |          |
|----------------------|-----------------|-------------|----------|----------------------------|-------------|----------|-------------------------|-------------|-------------|----------|
|                      | pcs.<br>шт      | sqm<br>м.кв | kg<br>кг | box<br>кор                 | sqm<br>м.кв | kg<br>кг | box<br>кор              | plt<br>палл | sqm<br>м.кв | kg<br>кг |
| 1200×600×11.5        | 2*              | 1.44        | 39.5     | 30                         | 43.20       | 1205     | 660                     | 22          | 950.4       | 26510    |
| 1200×200×11.5        | 6*              | 1.44        | 38.5     | 34                         | 48.96       | 1329     | 646                     | 19          | 930.24      | 25251    |
| 900×900×12           | 2               | 1.62        | 45       | 35                         | 56.70       | 1595     | 560                     | 16          | 907.2       | 25520    |
| 900×600×11.5         | 3               | 1.62        | 43       | 42                         | 68.04       | 1826     | 588                     | 14          | 952.56      | 25564    |
| 900×450×12           | 3               | 1.22        | 33.5     | 56                         | 68.04       | 1896     | 784                     | 14          | 952.56      | 26544    |
| 900×450×11.5         | 3               | 1.22        | 32       | 56                         | 68.04       | 1812     | 646                     | 14          | 930.24      | 25368    |
| 900×150×11.5         | 8*              | 1.08        | 28       | 48                         | 51.84       | 1364     | 912                     | 19          | 984.96      | 25916    |
| 800×800×11.5         | 3               | 1.92        | 51       | 28                         | 53.76       | 1448     | 560                     | 20          | 1075.2      | 28960    |
| 800×400×11.5         | 3               | 0.96        | 25       | 60                         | 57.60       | 1520     | 1020                    | 17          | 979.2       | 25840    |
| 600×600×10           | 4               | 1.44        | 33       | 36                         | 51.84       | 1208     | 792                     | 22          | 1140.48     | 26576    |
| 600×600×10           | 4*              | 1.44        | 33       | 40                         | 57.60       | 1340     | 800                     | 20          | 1152        | 26800    |
| 600×300×10           | 8               | 1.44        | 33       | 40                         | 57.60       | 1340     | 800                     | 20          | 1152        | 26800    |
| 600×300×10           | 6               | 1.44        | 24       | 48                         | 69.12       | 1172     | 1056                    | 22          | 1520.64     | 25784    |
| 600×150×10           | 10              | 0.9         | 19.5     | 80                         | 72.00       | 1580     | 1280                    | 16          | 1152        | 25280    |
| 500×500×9.5          | 6               | 1.5         | 31.5     | 32                         | 48.00       | 1028     | 832                     | 26          | 1248        | 26728    |
| 660×660×10           | 4               | 1.74        | 36       | 32                         | 55.76       | 1172     | 736                     | 23          | 1282.4064   | 26956    |
| 660×440×10           | 6               | 1.74        | 36       | 32                         | 55.76       | 1172     | 736                     | 23          | 1282.4064   | 26956    |
| 440×440×10           | 8               | 1.55        | 32       | 24                         | 37.17       | 788      | 720                     | 30          | 1115.136    | 23640    |
| 300×300×9.5          | 11              | 0.99        | 22       | 54                         | 53.46       | 1208     | 1188                    | 22          | 1176.12     | 26576    |

\* Used in 1.24×0.96M pallet. используются 1,24×0,96M паллеты

| sizes(mm)<br>размер | box.<br>Коробка |             |          | pallet(1.2X0.8M)<br>Паллет |             |          | Container.<br>Контейнер |             |             |          |
|---------------------|-----------------|-------------|----------|----------------------------|-------------|----------|-------------------------|-------------|-------------|----------|
|                     | pcs.<br>шт      | sqm<br>м.кв | kg<br>кг | box<br>кор                 | sqm<br>м.кв | kg<br>кг | box<br>кор              | plt<br>палл | sqm<br>м.кв | kg<br>кг |
| 1200×300×11.5       | 4               | 1.44        | 39.5     | 28                         | 40.32       | 1126     | 672                     | 24          | 967.68      | 27024    |
| 800×800×11.5        | 3               | 1.92        | 51       | 24                         | 46.08       | 1244     | 480                     | 20          | 921.6       | 24880    |
| 600×600×20          | 2               | 0.72        | 34       | 32                         | 23.04       | 1108     | 800                     | 25          | 576         | 27700    |
| 600×600×10          | 4               | 1.44        | 33       | 32                         | 46.08       | 1076     | 800                     | 25          | 1152        | 26900    |
| 600×300×10          | 8               | 1.44        | 33       | 32                         | 46.08       | 1076     | 800                     | 25          | 1152        | 26900    |
| 600×100×10          | 10              | 0.6         | 15       | 84                         | 50.4        | 1260     | 1680                    | 20          | 1008        | 25200    |





Looking Forward To Your Visiting!