

**KITO**





**KITO**

Guangdong KITO Ceramics Group Co., Ltd.  
Building T6 Smart City, Jihua 1st Rd,  
Chancheng District, Foshan City,  
Guangdong, China 528000

**T** +86 757 82533869  
**F** +86 757 82533866  
**E** [thankyou@kito.cn](mailto:thankyou@kito.cn)

[www.kitoceramic.com](http://www.kitoceramic.com)

Marble & Design  
Innovation for your ideas




**KITO**



**Extending its classic  
High Tech Porcelain  
Marble Collection,  
KITO  
has introduced  
new texture with  
a natural look and  
feel to the designed  
surface.**

Down to the slightest details, to lend character and elegance to large-scale designs (such as shops and shopping centres, restaurants and public space) offering four color options, seven sizes and extraordinary range of effects, it recreates all the splendour of marble and combines it with the outstanding technical performance that only the finest porcelain marble can offer.

**KITO**



# Marble

11 / Precious Marble


39 / Black&White

67 / Grey Marble

113 / Warm Scheme

**Marble effect  
that presents a  
bold surface of  
a pure white or  
wonderful color,  
maked by  
transparent vein  
effects.**

Pure, brilliant marble effect wall  
tiles are perfectly match the  
porcelain tiles.



BECAUSE..

# Precious Marble

The spectacular class of the marble effect is the protagonist of high profile spaces.



## INDEX

13	Cliff
15	Wonderland
20	Delicate
25	Clinquant
27	Brocade
31	Statuario
35	French White

# Cliff

Surface	1	Design
full polished	2400x1200	4 faces

## BOOK MATCH GRAPHICS



K24128126ABF-1 K24128126ABF-2 K24128126ABF-3 K24128126ABF-4



# Wonderland

Surface: full polished  
Size mm: 2400x1200  
Design: 1  
4 faces

## BOOK MATCH GRAPHICS



K24128060ABF-1    K24128060ABF-2    K24128060ABF-3    K24128060ABF-4



Features light irregularities typical of natural marble.



The glossy polished finish is suitable for residential or low-traffic commercial floors or walls, where no anti-slip performance is required

# Delicate

Surface	Size mm	Design
full polished	2400x1200	4 faces

### BOOK MATCH GRAPHICS



K24128057TAF-1

K24128057TAF-2

K24128057TAF-3

K24128057TAF-4





The vein of the marble intertwine in a refined brocade that transforms the wall into a precious scenic background.





**Marble & Design  
Innovation**  
for your ideas

# Clinquant

Surface	Size <sup>1</sup> mm	Design
full polished	2400x1200	3 faces



K24128056TAF  
2400x1200mm

3 faces  
full polished



# Brocade

Surface	Size mm	Design
full polished	1800x900	6 faces



K01898065TAF

K01898065TAF-1 K01898065TAF-2 K01898065TAF-3



K01898065TAF-4 K01898065TAF-5 K01898065TAF-6

Book Match Graphics Book Match Composition 1.2.3.4.5.6






more about Brocade

# Statuario

Surface	1	Design
honed	1800x900 900x900	6 faces



K01898068TAM



K01898068TAM-1 K01898068TAM-2 K01898068TAM-3 K01898068TAM-4 K01898068TAM-5 K01898068TAM-6

Book Match Graphics Book Match Composition 1.2.3.4.5.6






more about Staturio

# French white

Surface	Size mm	Design
full polished	1500x750	6 faces




K01573691TAF



K01573691TAF-1 K01573691TAF-2 K01573691TAF-3 K01573691TAF-4 K01573691TAF-5 K01573691TAF-6

Book Match Graphics Book Match Composition 1.2.3.4.5.6





more about French White

# Black&White

Marble-effect surfaces

where the purest white of the porcelain tile is criss-crossed by delicate light gray veins.

Tone that recall one of the most elegant marbles and that features a black surface with a deep, compact background with some white and gold veins.



## INDEX

41	Ink
43	Calacatta White
47	Ice Age
50	Catania
53	Woolf
56	Masaki
57	White Marble
59	Masalusa
62	Sicily
63	Black Mamba

# Ink

Surface	Size mm	Design
sugar honed	1800x900	6 faces



K01898062DAM  
1800x900mm

6 faces  
sugar+honed



# Calacatta White

Surface	Size mm	Design
honed	3 1800x900 900x900 600x600	5 faces 9 faces



K1893273YAM  
1800x900mm

4 faces  
honed



Bathroom floor tiles evoke the details, nuances and graphic variability of natural marbles.



# Ice Age

Surface	1	Design
full polished	1500x750	6 faces



K1573938YAF  
1500x750mm

6 faces  
full polished



# Catania

Surface	Size mm	Design
full polished	1200x600	5 faces




K126**433**YAF  
1200x600mm

5 faces  
full polished



# Woolf

Surface	1	Design
honed	1200x600	6 faces



K1264334YAM  
1200x600mm


6 faces  
honed



Woolf is available for walls and floors in matte and shiny finish are combined with textured versions.

# Masaki

Surface	Size mm	Design
full polished	1200x600	4 faces



K1264935YAF  
1200x600mm

4 faces  
full polished

# White Marble

Surface	1 Size mm	Design
Full polished Matte	600x600 800x800	6 faces

K0605020YA 600x600 matt are available in KITO Malaysia factory.



K0605020YAF  
600x600mm

6 faces  
full polished



# Masalusa

Surface	1 Size mm	Design
sugar+lappato	1800x900	4 faces




K1893751DAP  
1800x900mm

4 faces  
sugar+lappato



# Sicily

Surface	Size mm	Design
full polished	900x900	9 faces




K090**3614**YAF  
900x900mm

9 faces  
full polished

# Black Mamba

Surface	1	Design
honed	1800x900	6 faces



K1893623YAM  
1800x900mm

6 faces  
honed





Black mamba, one of the most Precious marbles and that features a black surface with a deep, compact background with some white veins.



# Grey Marble

Tone inspired by a very elegant and modern marble, with a cold gray background color rich in details and inclusions, numerous shades and white veins.

Marble-effect gray tone, intense and bold with light contrasting veins.

# INDEX


69	Imprint	99	Brera
71	Imposing	104	Moscva
74	Fossil	108	Italian Gray
75	Summer	109	Quaver
77	Unique	111	Euro Stone
80	Softly		
85	Mystery		
89	Paca		
91	Courtlike		
93	Interlaken		
98	Flash Gray		

# Imprint

Surface	Size mm	Design
full polished	2400x1200 1500x750	4 faces



K24128061TAF  
2400x1200mm  
full polished  
4 faces



K01578118TAF  
1500x750mm  
full polished  
4 faces



K01578080TAF  
1500x750mm  
full polished  
4 faces



# Imposing

Surface	Size mm	Design
full polished	1800x900	4 faces



K01898066TAF  
1800x900mm

4 faces  
full polished





# Fossil

Surface	Size mm	Design
honed	1 1800x900	6 faces



K0189**8071**TAR  
1800x900mm

6 faces  
honed



K0189**8072**TAR  
1800x900mm

6 faces  
honed

# Summer

Surface	Size mm	Design
full polished	1800x900 900x900	2 8 faces



K1898021YAF  
1800x900mm

8 faces  
full polished



# Unique

Surface	Size mm	Design
full polished	1800x900	6 faces



K1898022YAF  
1800x900mm

6 faces  
full polished



# Softly

Surface	1	Design
honed	1500x750	4 faces



K01578076TAR  
1500x750mm  
4 faces honed



K01578077TAR  
1500x750mm  
4 faces honed



K01578161DAR  
1500x750mm  
4 faces honed

Glazed porcelain tile owns nine different print variations, and it is coated with fine grains sugar effects, which will shine under the illumination of lights, thus creating a sweet and quiet atmosphere.



K01578076TAR  
1500x750mm



K01578077TAR  
1500x750mm




# Mystery


Surface	Size mm	Design
full polished	1500x750	4 faces



K01578160TAF  
1500x750mm  
4 faces  
honed



K01578169TAF  
1500x750mm  
4 faces  
full polished



K01578170TAF  
1500x750mm  
4 faces  
full polished



K01578160TAF  
1500x750mm



K01578170TAF  
1500x750mm



K01578160TAF  
1500x750mm



K01578169TAF  
1500x750mm

# Paca

Surface	1 Size mm	Design
full polished	1500x750	6 faces




K1573650DAF  
1500x750mm

6 faces  
full polished



# Courtlike

Surface	Size mm	Design
full polished	1500x750	6 faces



K01578081TAF

K01578081TAF-1 K01578081TAF-2 K01578081TAF-3



K01578081TAF-4 K01578081TAF-5 K01578081TAF-6

Book Match Graphics Book Match Composition 1.2.3.4.5.6



more about Courtlike

# Interlaken

Surface	2 Size mm	Design
sugar+honed	1500x750 900x900	9 faces 11 faces



K1573757DAM 1500x750mm 9 faces sugar+honed





The honed finish brings out the unique nature of the veins and their exquisite dynamism.



# Flash Gray

Surface	Size mm	Design
full polished	1500x750	6 faces



K1573939YAF  
1500x750mm

6 faces  
full polished

# Brera

Surface	Size mm	Design
full polished	1200x600	5 faces 6 faces 8 faces



K0126**8052**YAF  
1200x600mm

6 faces  
full polished



K0126**8094**TAN  
1200x600mm

5 faces  
Full polished/ Matte



K0126**8096**YAF  
1200x600mm

8 faces  
full polished





K0126**8094**TAN  
1200x600mm




K0126**8096**YAF  
1200x600mm

# Moscva

Surface	Size mm	Design
full polished	1200x600	4 faces 6 faces



K01268098TAN 6 faces 1200x600mm Full polished/ Matte  
 K01268091YAF 4 faces 1200x600mm full polished



K01268051YAF 6 faces 1200x600mm full polished  
 K01268097YAF 6 faces 1200x600mm full polished

# Marble & Design Innovation for your ideas



# Italian Gray

Surface	Size mm	Design
full polished	1500x750	6 faces



K1573809YAF  
1500x750mm

6 faces  
full polished

# Quaver

Surface	Size mm	Design
Full polished Matte	900x900	6 faces



K0090**8110**TAN  
900x600mm

6 faces  
Full polished/Matte



# Euro Stone

Surface	1	Design
honed	900x900	6 faces




K090**3610**YAM  
900x900mm

6 faces  
honed

K090**3611**YAM  
900x900mm

6 faces  
honed



K090**3612**YAM  
900x900mm

6 faces  
honed

K090**3613**YAM  
900x900mm

6 faces  
honed





## Warm Scheme


With shades inspired by the most precious marbles, it is distinguished by the warm color of the base, white and compact, and the characteristic intertwining of gray-beige veins.

## INDEX

116	Majestic
117	Taaffe
120	Skyspace
121	Nairobi

# Majestic

Surface	1	Design
full polished	1800x900	12 faces



K0189**8067**TAF  
1800x900mm

12 faces  
full polished

# Taaffe

Surface	1	Design
honed	1800x900	12 faces



K1893622YAM  
1800x900mm

12 faces  
honed



# Skyspace

Surface	Size mm	Design
full polished	1800x900	6 faces




K1898029YAF  
1800x900mm

6 faces  
full polished

# Nairobi

Surface	Size mm	Design
full polished	1500x750	4 faces



K1573651YAF  
1500x750mm

4 faces  
full polished



# Precious Marble



Cliff  
2400x1200mm



Cliquant  
2400x1200mm



Delicate  
2400x1200mm



French White  
1500x750mm



Brocade  
1800x900mm



Statuario  
1800x900mm



Wonderland  
2400x1200mm

# Black&White



Ink  
1800x900mm



Calacatte White  
1800x900mm



Ice Age  
1500x750mm



White Marble  
600x600mm



Catania  
1200x600mm



Masasi  
1200x600mm



Woolf  
1200x600mm



Masalusa  
1800x900mm



Sicily  
900x900mm



Black Manma  
1800x900mm

# Grey Marble



Imprint  
2400x1200mm



Imposing  
1800x900mm



Fossil  
1800x900mm




Summer  
1800x900mm



Brera  
1200x600mm



Brera  
1200x600mm



Moscva  
1200x600mm



Moscva  
1200x600mm



Unique  
1800x900mm



Softly  
1500x750mm



Softly  
1500x750mm



Softly  
1500x750mm




Moscva  
1200x600mm



Moscva  
1200x600mm




Italian Gray  
1500x750mm




Quaver  
900x900mm



Mystery  
1500x750mm



Mystery  
1500x750mm




Mystery  
1500x750mm



Paca  
1500x750mm



Euro Stone  
900x900mm



Euro Stone  
900x900mm



Euro Stone  
900x900mm



Euro Stone  
900x900mm




Courtlike  
1500x750mm



Interlaken  
1500x750mm



Flash Gray  
1500x750mm



Brera  
1500x750mm

# Warm Scheme



Taaffe  
1800x900mm



Majestic  
1800x900mm



Skyspace  
1800x900mm



Nairobi  
1500x750mm





## KITO MORE COLLECTION

### Stone Look

Timeless charm design, finishes-matt R10, natural R11, lappato, a project designed and suitable for both interior design and heavy commercial traffic.



### Cement Look

Indoor and outdoor, interior design and heavy commercial traffic.

### 2cm

An Outdoor Favorite  
Anti-slip R11  
Full Body  
High Breaking Strength  
Natural Stone Texture



### Wood Look

A lifestyle: warm, natural, top quality. Save forest!



Design is not just what it looks like and feels like.  
Design is how it works.

— Steve Jobs



Look at usual things with unusual eyes.

— Vico Magistretti

<b>PACKING SPECIFICATIONS</b>											
SIZE(mm)	BOX			PALLET				CONTAINER			
	PCS	SQM	KG	CTN	SQM	KG	PLT SIZE	PLT	CTN	SQM	G.W.
1800×900×11	1	1.62	44.5	34	55.08	1513	186*110	12	408	660.96	18156
1500×750×11	2	2.25	58.5	24	54	1396	161*110	12	288	648	16848
1500×250×11	4	1.5	39	54	81	2106	1540*960	12	648	972	25272
1200×600×10	2	1.44	34.5	35	50.4	1224	96*124	21	735	1058.4	25358
1200×600×11.5	2	1.44	39.5	31	44.64	1241	96*124	20	620	892.8	24490
1200×200×10	6	1.44	34.5	39	56.16	1362	96*124	19	741	1067.04	25565
1200×200×11.5	6	1.44	39.5	34	48.96	1360	96*124	20	680	979.2	26860
900×900×11	2	1.62	41.5	40	64.8	1595	110*110	17	680	1101.6	28220
900×450×11	3	1.215	32	52	63.18	1684	110*110	16	832	1010.88	26624
600×600×10	4	1.44	32	36	51.84	1166	110*110	22	792	1140.48	25344
600×600×10	4	1.44	32	32	46.08	1041	120*80	25	800	1152	25600
600×300×10	8	1.44	32	40	57.6	1295	110*110	20	800	1152	25600
SIZE(mm)	PC			PALLET				CONTAINER			
	PCS	SQM	KG	PCS	SQM	KG	PLT	PCS	SQM	G.W.	
1200×2400×9	1	2.88	62	16	46.08	992	24	384	1105.92	23808	
1600×1600×9	1	2.56	56	24	61.44	1344	18	432	1105.92	24192	
1600×3200×9	1	5.12	110	24	122.88	2640	9	216	1105.92	23760	

<b>TECHINICAL SPECIFICATIONS</b>									
	TECHNICAL FEATURES	UNIT OF MEASUREMENT	EURO STANDARD	CHINESE STANDARD (GB/T4100-2015)	KITO ACTUAL VALUE				TEST METHOD
					600×600	800×800	1200×600	1500×750	
	Water Absortion	%	≤ 0.5	≤ 0.5	0.12	0.15	0.12	0.07	UNI EN ISO 10545-3
	Dimensions Length andwidth	%	±0.6max	±0.6max	±0.2	±0.2	±0.2	±0.4	UNI EN ISO 10545-2
	Thickness	mm	±1.0max	±1.0max	±0.3	±0.3	±0.3	±0.3	UNI EN ISO 10545-2
	Side Straightness	%	±0.5%	±0.3%	±0.3%	±0.3%	±0.3%	±0.3%	UNI EN ISO 10545-2
	Corner Squareness	%	±0.6max	±0.4max	±0.2	±0.2	±0.2	±0.2	UNI EN ISO 10545-2
	Flatness	%	±0.5max	±0.4max	0.1	0.1	0.1	0.1	UNI EN ISO 10545-2
	Breaking Strength	N	sp ≥ 7.5mm, ≥ 1300	sp ≥ 7.5mm, ≥ 1300	2356	3017	3032	3032	UNI EN ISO 10545-4
		N	sp < 7.5mm, >= 700	sp < 7.5mm, >= 700	2247	3025	3207	3105	
	Modulus of Rupture	Mpa	≥ 35	≥ 35	42	38.8	38.6	50	UNI EN ISO 10545-4
	Thermal Shock resis-tance	---	Testing Method Available	Testing Method Available	Conform	Conform	Conform	Conform	UNI EN ISO 10545-9
	Frost-Resistance	---	Testing Method Available	Testing Method Available	Conform	Conform	Conform	Conform	UNI EN ISO 10545-12
	Resistant to acids and low concentration bases	---	Testing Method Available	Testing Method Available	GA Class	GA Class	GA Class	GA Class	UNI EN ISO 10545-13
	Stain Resistance	---	≥ Class 3	≥ Class 3	Class 5	Class 5	Class 5	Class 5	UNI EN ISO 10545-14

**KITO**