



Shenzhen GangMing OPTO.Co.,LTD

Email : sales10@ledgm.com Mob: +86 13713520265 Tel:+86-755- 28893599

Add: 4/F.,Bldg2,Xingke Hi-Tech Ind. Park,168 Bulong RD, Bantian, Shenzhen,518129,China










www.ledgm.com
www.ledgmlight.com
<http://ledgm.en.alibaba.com>
<http://ledgmlighting.en.made-in-china.com/>







LED 3528 SMD Strips (IP67 price need to add USD2.5)

Picture	Model	Colour	LED Q'ty	LED Wattage	Certificate	Voltage	Lumen	Waterproof Grade
	GM-F3528URGB60 (New product)	RGB	300 leds	24W	CE,ROHS,LVD	DC12V	800-850	Non-waterproof
	GM-F3528UW30	Cool White Warm white	150leds	12w	CE,ROHS,LVD	DC12V	900-1050	Non-waterproof
	GM-F3528UW60		300leds	24W			1800-2100	
	GM-F3528UB60	Blue	300leds	24W	CE,ROHS,LVD	DC12V	360-450	Non-waterproof
	GM-F3528UR60	Red					480-600	
	GM-F3528UG60	Green	300leds	24W	CE,ROHS,LVD	DC12V	1290-1470	Non-waterproof
	GM-F3528UR120 (New Product)	Red	600leds	48W	CE,ROHS,LVD	DC12V	960-1200	Non-waterproof
	GM-F3528UW120 (New Product)	White						
	GM-F3528UW240 (New Product)	White	1200leds	96W	CE,ROHS,LVD	DC24V	7200-8400	Non-waterproof
	GM-F3528UR240 (New Product)	Red					1920-2400	
	GM-F3528UB240 (New Product)	Blue					1440-1800	
	GM-F3528UG240 (New Product)	Green	1200leds	96W	CE,ROHS,LVD	DC24V	5160-5880	Non-waterproof



LED 5050 SMD Strips (IP67 price need to add USD2.5)

	GM-F5050UW30		150leds	36W			2400-2700	Non-waterproof
---	--------------	--	---------	-----	--	--	-----------	----------------

	GM-5050UW60 (Silicon glue)	Cool White Warm White	300leds	72w	CE,ROHS, LVD	DC12V	4500-4800	IP67
	GM-F5050UW60							Non-waterproof
	GM-F5050URGB30	RGB	150leds	36w	CE,ROHS, LVD	DC12V	1200-1350	Non-waterproof
	GM-F5050URGB60		300leds	72w			2400-2700	Non-waterproof
	GM-PSB12V-RNA1RGB	Remote controller , DC12V 6A						
	GM-LST12V-36W	Power supply , DC12V 3A						
LED Strip Accessory								
	Single colour strip DC plug (Female and Male end)							
	Black LED strip connect cable							
	White LED strip connect cable							
	3528 LED strip connector IP67 DC12V							
	3528 LED strip connector Non-waterproof DC12V							
	5050RGB LED strip connector IP67 DC12V							
	"L" type led strip Corner without led DC12V							






	"T" type led strip T joint without led DC12V
	"+" type led strip cross without led DC12V
	4 Pins strip connector (2 sides)
	4 Pins strip connector
	Black LED strip connect cable with 2 side
	Single colour Waterproof LED strip plug

LED Hard Strip





Picture	Model	Size(mm)	LED Q'ty	Lumen	Watts	Voltage	IP	
	GM-DT500-SMD3528W45	500*12*7	45pcs	180-200LM	3.6W	DC12V	IP65	
	GM-DT500-SMD5050RGB30	500*12*7	30pcs	450-480LM	7.2W	DC12V	IP65	
	GM-DT500-SMD5050W30							
	GM-DT1000-SMD5050RGB60	1000*12*7	60pcs	900-960LM	14.4W			
	GM-DT1000-SMD5050W60							










LED Strip Controller

Picture	Model	Size	Current	Voltage	
---------	-------	------	---------	---------	--

	GM-PSB12V-RNA1RGB	24 Key IR RGB Strip Remote Controller DC12V 6A Size : L85*W52*H7mm	
	GM-PSB12V-RNA2RGB	IR RGB Strip ,RGB projector light Remote Controller DC12/24V 12A Size : L15*W7.5*H5 mm	
	GM-PSB12V-RNA3RGB	44Key IR remote controller DC12V 6A	
	GM-PSB12V-RNAX	LED Single colour remote controller DC12V 6A Size: L62*W35*H23mm	
	GM-PSB12V-RBNA1RGB	LED RGB Strip booster (Amplifier) DC12V/24V	





LED Spot lamp

Picture	Model	Size	Luemn	Watts	Voltage	Certificate
	GM-MR16RGB1	Φ50*H54mm	100-120	3W	AC/DC12V	CE,ROHS
	GM-MR16W3*1WB	Φ50*H54mm	240-260	3W	AC/DC12V	CE,ROHS
	GM-MR16W3*1WC	Φ50*H54mm	240-260	3W	AC/DC12V	CE,ROHS
	GM-MR16W4*1W	Φ50*H54mm	320-360	4W	AC/DC12V	CE,ROHS





	GM-MR16W5*1WA (New)	Φ50*H66mm	400-420	5W	AC/DC12V	CE,ROHS
	GM-MR16W3*3W	Φ50*H80mm	450-500	9W	AC/DC12V	CE,ROHS
	GM-MR16W3*2WA	Φ50*H54mm	400-500	6W	AC/DC12V	CE,ROHS
	GM-GU10RGB1	Φ50*H62mm	100-120	3W	AC85-265V	CE,ROHS
	GM-GU10W3*1WB	Φ50*H61mm	240-260	3W	AC85-265V	CE,ROHS
	GM-GU10W3*1WC	Φ50*H61mm	240-260	3W	AC85-265V	CE,ROHS
	GM-GU10W4*1W	Φ50*H61mm	320-360	4W	AC85-265V	CE,ROHS
	GM-GU10W3*2WA	Φ50*H61mm	400-450	6W	AC85-265V	CE,ROHS
	GM-GU10W3*3W	Φ50*H88mm	450-500	9W	AC85-265V	CE,ROHS

	GM-GU10W5*1WA (New)	Φ50*H75mm	400-420	5W	AC85-265V	CE,ROHS
	GM-E27RGB1	Φ50*H65mm	100-120	3W	AC85-265V	CE,ROHS
	GM-E27W3*1WC	Φ50*H58mm	240-260	3W	AC85-265V	CE,ROHS
	GM-E27W4*1W	Φ50*H58mm	320-360	4W	AC85-265V	CE,ROHS
	GM-E27W3*2WA	Φ50*H58mm	400-450	6W	AC85-265V	CE,ROHS
	GM-E27W3*3W	Φ50*H86mm	450-500	9W	AC85-265V	CE,ROHS
	GM-BL7W-7X1W	Φ65*H132mm	560-630	7W	AC85-265V	CE,ROHS
	GM-BL8W-5630-A (New)	Φ65*H132mm	640-700	8W	AC85-265V	CE,ROHS
LED Dimmable Lamp (New Product)						
	GM-BL7W-7*1W-D (New)	Φ65*H132mm	560-630	7W	AC110-130V AC220-240V	CE,ROHS

	Dimmer	Dimmer for LED bulb , 400W , AC110-130 or AC220-240V				
	GM-GU10W3*1WC-D (New)	Φ50*H61mm	240-260	3W	AC85-265V	CE,ROHS
	GM-GU10W3*2W-D (New)	Φ50*H88mm	450-500	6W	AC85-265V	CE,ROHS
LED PAR Light						
	GM-AR111-7W	Φ111x H87mm	530-560	7W	AC85-265V	CE,ROHS
	GM-AR111-7*2W		850-900	14W		
	GM-AR111-7WE (New) white housing	Φ111x (H)57mm	530-560	7W	AC85-265V	CE,ROHS
	GM-AR111-7*2WE (New) white housing		850-900	14W		
	GM-AR111-9WE (New) white housing	Φ111x (H)57mm	680-720	9W	AC85-265V	CE,ROHS
	GM-AR111-9*2WE (New) white housing		1100-1200	18W		
	GM-AR111-9W	Φ111x (H)57mm	680-720	9W	AC85-265V	CE,ROHS
	GM-AR111-9*2W		1100-1200	18W		
	GM-PAR30-5W	Φ95*H98mm	380-400	5W	AC85-265V	CE,ROHS
	GM-PAR30-5*2W		600-650	10W		
	GM-PAR30-7W	Φ95*H98mm	530-560	7W	AC85-265V	CE,ROHS
	GM-PAR30-7*2W		850-900	14W		

	GM-PAR30-7WE (New) white housing	Φ95*H98mm	530-560	7W	AC85-265V	CE,ROHS
	GM-PAR30-7*2WE (New) white housing		850-900	14W		
	GM-PAR38-9W	Φ120*H130mm	680-720	9W	AC85-265V	CE,ROHS
	GM-PAR38-9*2W		1100-1200	18W		
	GM-PAR38-12W	Φ120*H130mm	900-950	12W	AC85-265V	CE,ROHS
	GM-PAR38-12*2W		1450-1500	24W		
	GM-PAR38-12WE (New) white housing	Φ120*H130mm	900-950	12W	AC85-265V	CE,ROHS
	GM-PAR38-12*2WE (New) white housing		1450-1500	24W		

LED Projector


Picture	Model	Size(mm)	LED Q'ty	Lumen	Watts	Voltage	Waterproof Grade (IP)	Certificate
	GM-TG68*58-3RGB	Φ68*W58*H115	3pcs*3W	330-360	9W	DC24V	IP65	CE,ROHS ,LVD, FCC,IP65
	GM-TG36W-12*RGB	L330*W150	36pcs(12R, 12G, 12B)	1600-1800	36W	DC24V	IP65	CE,ROHS ,LVD, FCC,IP65
	GM-TG10W-A (Aluminum)	L115*W90*H105	1pc 10w	800-900	10W	AC85-265V	IP65	CE,ROHS ,LVD, FCC,IP65
	GM-TG10W-A01 (60 degree, Aluminum)							

	GM-STG10W-A (New) (With Sensor)	L115*W90*H105	1pc 10w	800-900	10W	AC85-265V	IP65	CE,ROHS ,LVD, FCC,IP65
	GM-TG12W-A (Grey and Black housing)	L115*W90*H105	6pcs 2W	960-1080	12w	AC85-265V	IP65	CE,ROHS ,LVD, FCC,IP65
	GM-TG20W-A (Aluminum)	L160*H95*W110	1pc 20w	1600-1800	20W	AC85-265V	IP65	CE,ROHS ,LVD, FCC,IP65
	GM-TG30W-A	L225*W190*H150	1pc 30w	2400-2700	30W	AC170-250V	IP65	CE,ROHS ,LVD, FCC,IP65
	GM-TG30W-A02 (60 degree)	L225*W190*H150	1pc 30w	2400-2700	30W	AC170-250V	IP65	CE,ROHS ,LVD, FCC,IP65
	GM-TG30W-A03 (60 degree)							
	GM-TG50W-A	L285*W240*H180	1pc 50w	4000-4500	50W	AC170-250V	IP65	CE,ROHS ,LVD, FCC,IP65
	GM-TG80W-A01	L360*W285*H250	1pc 80w	6400-7000	80W	AC170-250V	IP65	CE,ROHS ,LVD, FCC,IP65
	GM-TG100W-A01 (New)	L390*W290*H120m	1pc 100w	8000-9000	100W	AC170-250V	IP65	CE,ROHS ,LVD, FCC,IP65








	GM-TG100W-A04 (New) 60 degree	L390*W290*H120m	1pc 100w	8000-9000	100W	AC170-250V	IP65	CE,ROHS ,LVD, FCC,IP65
	GM-TG100W-A02 (New) 60 degree	L410*W290*H105m	1pc 100w	8000-9000	100W	AC170-250V	IP65	CE,ROHS,LVD,FC C.IP65
	GM-TG160W-A (New)	L570*W280*H200m	2pc 80w	12800-144000	160W	AC170-250V	IP65	CE,ROHS,LVD,FC C.IP65
	GM-TG200W-A (New)	L570*W280*H200m	2pc 100w	16000-18000	200W			
	GM-TG30W-RGB (New)	L225*W190*H150	1 pc of 30W	1500-1600	30W	AC170-250V	IP65	CE,ROHS ,LVD, FCC,IP65
	GM-TG60W-RGB (New)	L285*W240*H180	1 pc of 60W	3000-3600	60W	AC170-250V	IP65	CE,ROHS ,LVD, FCC,IP65

LED High Bay



Picture	Model	Size(mm)	LED Q'ty	Lumen	Watts	Voltage	
	GM-HB50W-A	Φ410*H410mm	50PCS	4000-4500	50W	AC85-265V	
	GM-HB80W-A	Φ465*H405mm	80PCS	6400-7200	80W	AC85-265V	

	GM-HB100W-A	Φ465*H405mm	100PCS	8000-9000	100W	AC85-265V	
---	-------------	-------------	--------	-----------	------	-----------	--







LED Ceiling Lamp

Picture	Model	Size(mm)	LED Q'ty	Lumen	Watts	Voltage	Waterproof Grade (IP)
	GM-CL3W-3*1WZ	Φ92*H50mm	3pcs	240-260	3W	AC100-240V	Non-waterproof
	GM-CL3W-3*1W	Φ92*H50mm	3pcs	240-260	3W	AC100-240V	Non-waterproof
	GM-CL5W-5*1W	Φ105*H72mm	5pcs	400-420	5W	AC100-240V	Non-waterproof
	GM-CL7W-7*1W	Φ105*H75mm	7pcs	560-630	7W	AC100-240V	Non-waterproof
	GM-CL9W-3*3W	Φ90*H75mm	3pcs	420-450	9W	AC100-240V	Non-waterproof
	GM-CL12W-12*1W	Φ135*H70mm	12pcs	960-1080LM	12W	AC100-240V	Non-waterproof
	GM-CL15W-15*1W	Φ150*H82mm	15pcs	1200-1350LM	15W	AC100-240V	Non-waterproof

	GM-PL12W-12X1W (New)	Φ150*H82mm	12pcs	960-1080LM	12W	AC100-240V	IP44	
LED Track lights								
Picture	Model	Size(mm)	Degree	Lumen	Watts	Voltage	Material	
	GM-TL10W-A New (3 strand)	114x86x68mm	120	800-900	10W	AC85-265V	Aluminum	
	GM-TL5W-5X1W-W01 (New)	Ø 79*74mm	15,25,30,45,60	400-450	5w	AC100-240V	Aluminum	
	GM-TL5W-5X1W-W02 (New)	Ø 70*79mm	15,25,30,45,60	400-450	5w	AC100-240V	Aluminum	
	GM-TL7W-7X1W-W01 (New)	Ø 79*74mm	15,25,30,45,60	560-630	7W	AC100-240V	Aluminum	
	GM-TL7W-7X1W-W02 (New)	Ø 79*74mm	15,25,30,45,60	560-630	7W	AC100-240V	Aluminum	
	GM-TL7W-7X1W-W03 (New)	Ø 70*79mm	15,25,30,45,60	560-630	7W	AC100-240V	Aluminum	

	GM-TL12W-12X1W-W01 (New)	Ø 100*76mm	15,25,30,45,60	960-1080	12W	AC100-240V	Aluminum
	GM-TL15W-15X1W-W01 (New)	Ø 119*127mm	15,25,30,45,60	1200-1350	15W	AC100-240V	Aluminum

LED Power Supply (Driver)

Picture	Model	Size	Current	Voltage	IP	Certificate
	GM-PSF12V-30W	202*35*24mm	2.5A	Vin:AC170-250V Vout:DC12V/24V	IP67	CE,ROHS
	GM-PSF24V-30W		1.25A			
	GM-PSF12V-60W	187*69*43mm	5.0A	Vin:AC170-250V Vout:DC12V/24V	IP67	CE,ROHS
	GM-PSF24V-60W		2.5A			
	GM-PSF12V-100W	230*69*43mm	8.3A	Vin:AC170-250V Vout:DC12V/24V	IP67	CE,ROHS
	GM-PSF24V-100W		4.15A			
	GM-PSF12V-150W	235*127*60mm	12.5A	Vin:AC170-250V Vout:DC12V/24V	IP67	CE,ROHS
	GM-PSF24V-150W		6.25A			
	GM-PSF12V-350W	252*124*57mm	29.2A	Vin:AC170-250V Vout:DC12V	IP54	CE,ROHS
	GM-LST12V-36W	115X47.2X32mm	3A	Vin:AC85-265V Vout:DC12V	IP54	CE,ROHS
	GM-LST12V-72W	115X47.2X32mm	6A	Vin:AC110-240V Vout:DC12V		CE,ROHS

LED Tube

Picture	Model	Size	LED Q'ty	Watt	Voltage
	GM-FL600-SMD2835W48	φ30mm*600±2mm	48leds	9W	AC100-240V
	GM-FL1200-SMD2835W96	φ30mm*1200±2mm	96leds	18W	AC90-130V AC170-250V
	GM-FL1500-SMD2835W120	φ30mm*1500±2mm	120leds	22W	

Remark:

- 1. Price is based on Ex-works (US DOLLAR).**
- 2. MOQ: 5pcs**
- 3. Package: Standard Export Package**
- 4. Payment: By T/T in advance, Western Union,Paypal**
- 5. The above prices are subject to our final confirmation**
- 6.Delivery time :5-6 working days**
- 7.Price Valid Date: Feb. 30th ,2013**