



TECHNICAL OFFER
FOR

FS-0.65*2.0 vibrate sieve



JIANGSU XIANFENG DRYING ENGINEERING CO., LTD.
CHINA

FS-0.65*2.0 vibrate sieve



Technical parameters

Item	Unit	Parameter
Capacity	kg	160-2000
Mesh size	mm	6-120
Layers of sieve surface	layer	1-4
Inclined angle of sieve surface	degree	0°~45°(adjustable)
Machine size	mm	2100*750*780
Weight	kg	650

Parts List

No.	Name	Material	Quantity	Manufacturer
1	Main machine	SUS304	1set	Xianfeng
2	Vibra motor	0.4KW	1 sets	Marketing
3	Bearing		1set	Marketing
4	Electrical part	Siemens	1set	Marketing
5	Sieve		1 set	Xianfeng

Quotation (FOB Shanghai)

FOB (Shanghai): 6800 USD

Payment items: T/T: 30% as deposit, 70% balance before delivery.

Safety features

The machines can't be started without safe earthing.

Documentation:

One copy of operational manual in English will be given with the delivery of machine.

Provide relevant certificates (such as product certificate, spare part certificate, and Raw material certificate)

We accept FAT for client.

Delivery date:

Within 30 work days after receiving the deposit and confirmed the workshop layout.

After-sell service:

All our machines guaranteed for trouble free performance for a period of 12 months from commissioning in buyer place.

Installation, debugging, training for buyer's technicians and other after sell service all for free.

The Buyer shall bear all the expenses incurred in the trip of the Seller's delegation for erection, commissioning and training, including air tickets, meal, hotel accommodation and local transportation.

Validity of this offer:

30 days from the date of quotation.

Angela Xie

Jiangsu xianfeng drying engineering co.,ltd

Add: Zhenglu industrial zone, Changzhou City, Jiangsu province, China

P.C.:213111

<http://www.czxf.cn/en/>

FAX: 0086-519-88930288

Foreign trade: 0086-519-88930111

E-mail: 2005@czxf.cn



