KITO
Guangdong KITO Ceramics Co., Ltd
Add: Building B1,Ceramic International Trading Center,
Jihua Westernrd,Chancheng District,Foshan City,Guangdong,China
Tel: +86-757-82533646 Fax: +86-757-82533866 Mail: export@kito.cn Web: www.kito.cn
Kito Digital Technology
P
Lappato
FP
Full-polished
Office building
Living room
Floor Tiles
Wall Tiles
FULL POLISHED
KITO

KITO

Beyond Your Imagination.

FULL POLISHED TILE

02 CRYSTAL FOREST
04 AGATE JADE
06 GOLDEN COAST
08 CALACATTA
10 ARENISCA
12 ART STONE LINE
14 LOUVRE
16 RAIN FOREST
18 NEPHERIX
20 FRENCH WOOD
21 GLOBE II
22 BIANCO PERLINO
24 CAPPUCCINO
27 MORE
27 ALPS
28 GUANYIN WALL

Beyond Your Imagination

Leading Glazed Tile Supplier
A top player specialized in top-grade glazed porcelain tiles production with more than 39 years experience.

R & D Center
more than 120 engineers and professors, 43 types of technology and product patents.

Products range
Size: 100x100 mm to 600x1200 mm.
Thickness: 4.8mm to 20mm
Surface: full polished, lappato, matt and rough finish.
Technique: silk printing, roto printing, inkjet printing.

TQC System
In accordance with CE(EN14411:2012) standard.

Decor of Crystal Forest

K030650HMF
300 × 300 × 10

K030651HMF
300 × 300 × 10

K030652HMF
300 × 300 × 10

K030653HMF
300 × 300 × 10

CRYSTAL FOREST

K060650YAF
600 × 600 × 10

K080650YAF
800 × 800 × 11.5

K060651YAF
600x600x10

K080651YAF
800x800x11.5

K060652YAF
600 × 600 × 10

K080652YAF
800 × 800 × 11.5

K060653YAF
600 × 600 × 10

K080653YAF
800 × 800 × 11.5

K030653HMF2
300 × 300 × 10

K815653YR
800 × 150

K801653YR
800 × 10

AGATE JADE

K0603215YAF | K0803215YAF
600 × 600 × 10 | 800 × 800 × 11.5

K0603216YAF | K0803216YAF
600 × 600 × 10 | 800 × 800 × 11.5

K0803217YAF
800 × 800 × 11.5

GOLDEN COAST

K0603211YAF
600 × 600 × 10

K0603213YAF
600 × 600 × 10

CALACATTA

K060658YAF
600 × 600 × 10

K080630YAF
800 × 800 × 11.5

K0603251YAF
600 × 600 × 10

K0803251YAF
800 × 800 × 11.5

K060671YAF
600 × 600 × 10

K080671YAF
800 × 800 × 11.5

ARENISCA

K0966452TAF | K0606452TAF
900x600x11.5 | 600x600x10

K0966453TAF | K0606453TAF
900x600x11.5 | 600x600x10

K0966454TAF | K0606454TAF
900x600x11.5 | 600x600x10

K0966455TAF | K0606455TAF
900x600x11.5 | 600x600x10

ART STONE LINE

K0603208YAF
600 × 600 × 10

LOUVRE

K060592GAF
600x600x10

K060593GAF
600x600x10

K060594GAF
600x600x10

K060595GAF
600x600x10

Decor of Louvre

K060595GH
600x600x10

K615595GH
600x150x10

K015595GG
150x150x10

RAIN FOREST

FP
Fullpolished

K0603106YAF
600 × 600 × 10

K0803106YAF
800 × 800 × 11.5

P
Lappato

K0603106YAP
600 × 600 × 10

FP
Fullpolished

K0603107YAF
600 × 600 × 10

K0803107YAF
800 × 800 × 11.5

P
Lappato

K0603107YAP
600 × 600 × 10

FP
Fullpolished

K0603108YAF
600 × 600 × 10

K0803108YAF
800 × 800 × 11.5

P
Lappato

K0603108YAP
600 × 600 × 10

NEPHERIX

K080623YAF
800 × 800 × 11.5

K080621YAF
800 × 800 × 11.5

FRENCH WOOD

K0803065YAF
800 × 800 × 11.5

K0603065YAF
600 × 600 × 10

K0803066YAF
800 × 800 × 11.5

K0603066YAF
600 × 600 × 10

K0803067YAF
800 × 800 × 11.5

K0603067YAF
600 × 600 × 10

K0803068YAF
800 × 800 × 11.5

K0603068YAF
600 × 600 × 10

GLOBE II

K060648TAF
600x600x10

K060647TAF
600 x 600x10

Decor of Globe II

K012647TG
120x120

K030647HMF
300x300

K601647TR 600x15

K603647TR 600x30

K610647TR 600x120

K610647TR2 600x100

K612647TT 600x120

K031647TN
30x15

K101647TN
100X15

K121647TN
120x15

K616647TL 600x160

BIANCO PERLINO

K0606330YAF
600 x 600 x 10

K0606331YAF
600 x 600 x 10

CAPPUCCINO

K0803214YAF
800 × 800 × 11.5

MORE

K0603073YAF
600 × 600 × 10

K060672YAF
600 × 600 × 10

K060673YAF
600 × 600 × 10

K060656YAF
600 × 600 × 10

K060667YAF
600 × 600 × 10

K060669YAF
600 × 600 × 10

K060655YAF
600 × 600 × 10

K080638YAF
800 × 800 × 11.5

K080639YAF
800 × 800 × 11.5

K080633YAF
800 × 800 × 11.5

ALPS

K0808003YAF
800 × 800 × 11.5

GUANYIN WALL

K060662YAF
600 × 600 × 10

Packing And Weight

sizes(mm) /размер	box. Коробка			pallet (1.1X1.1M) Паллет			Container. Контейнер			
	pcs. шт	sqm м.кв	kg кг	box кор	sqm м.кв	kg кг	box кор	pll палл	sqm м.кв	kg кг
1200x600x4.8	3	2.16	24	34	73.44	816	1020	30	2203.2	24480
1200x600x12.5	2	1.44	43	52	74.88	2236	520	10	748.8	22360
900x600x11.5	3	1.62	43	42	68.04	1806	630	15	1020.6	27090
900x200x11.5	6	1.08	28.5	48	51.84	1368	960	20	1036.8	27360
900x150x11.5	8	1.08	28.5	48	51.84	1368	960	20	1036.8	27360
800x800x11.5	3	1.92	53	24	46.08	1272	504	21	967.68	26712
400x400x11.5	8	1.28	36	40	51.2	1440	720	18	921.6	25920
600x600x10	4	1.44	33	36	51.84	1188	792	22	1140.48	26136
600x300x10	8	1.44	33	36	51.84	1188	792	22	1140.48	26136
600x600x10	4	1.44	33	40	57.6	1320	800	20	1152	26400
600x300x10	8	1.44	33	40	57.6	1320	800	20	1152	26400
500x165x9.5	18	1.485	29	39	57.915	1131	780	20	1158.3	22620
330x330x9.5	11	1.2	26	54	64.8	1404	1080	20	1296	28080
165x165x9.5	20	0.5445	11	120	65.34	1320	2160	18	1176.12	23760

900*200 and 900*150 size are used in 1.24*0.96M pallet

sizes(mm) размер	box. Коробка			pallet (1.2X0.8M) Паллет			Container. Контейнер			
	pcs. шт	sqm м.кв	kg кг	box кор	sqm м.кв	kg кг	box кор	plt палл	sqm м.кв	kg кг
1200x200x12.5	6	1.44	37	28	40.32	1036	728	26	1048.32	26936
800x800x11.5	3	1.92	53	24	46.08	1272	504	21	967.68	26712
800x400x11.5	3	0.96	27	50	48	1350	1000	20	960	27000
600x600x20	2	0.72	32	32	23.04	1024	832	26	599.04	26624
polished 600x600x10	4	1.44	34	28	40.32	952	784	28	1128.96	26656
600x600x10	4	1.44	32	32	46.08	1024	832	26	1198.08	26624
600x300x10	8	1.44	32	32	46.08	1024	832	26	1198.08	26624
300x300x10	11	0.99	21	44	43.56	924	968	22	958.32	20328
600x150x10	10	0.9	21	50	45	1050	1250	25	1125	26250
600x100x10	10	0.6	15	84	50.4	1260	1680	20	1008	25200
450x450x9.5	6	1.215	26	60	72.9	1560	1020	17	1239.3	26520
500x250x9.5	12	1.5	32	26	39	832	858	33	1287	27456
500x500x9.5	6	1.5	32	26	39	832	832	32	1248	26624

Technical Information

Technical Features	Unit of Measurement	Euro Standard	Chinese S tandard (GB/T4100-2006)	KITO Actual Value 600×600mm	800×800mm	1200×600mm	500×500mm	Test Method
Water absortion	%	<=0.5	<=0.5	0.12	0.15	0.12	0.17	UNI EN ISO 10545-3
Dimensions Length and width	%	±0.6max	±0.6max	±0.2	±0.2	±0.2	±0.2	UNI EN ISO 10545-2
Thickness	mm	±1.0max	±1.0max	±0.3	±0.3	±0.3	±0.3	UNI EN ISO 10545-2
Side Straightness	%	±0.5%	±0.3%	±0.3%	±0.3%	±0.3%	±0.3%	UNI EN ISO 10545-2
Corner Squareness	%	±0.6max	±0.4max	±0.2	±0.2	±0.2	±0.2	UNI EN ISO 10545-2
Flatness	%	±0.5max	±0.4max	0.1	0.1	0.1	0.1	UNI EN ISO 10545-2
Breaking Strength	N	sp>=7.5mm, >=1300	sp>=7.5mm, >=1300	2356	3017	3032	2231	UNI EN ISO 10545-4
	N	sp<7.5mm, >=700	sp<7.5mm, >=700	2247	3025	3207	2024	
Modulus Of rupture	Mpa	>=35	>=35	42	38.8	38.6	48.5	UNI EN ISO 10545-4
Thermal shock Resistance	—	Testing method available	Testing method available	Conform	Conform	Conform	Conform	UNI EN ISO 10545-9
Frost-Resistance	—	Testing method available	Testing method available	Conform	Conform	Conform	Conform	UNI EN ISO 10545-12
Resistant to acids And low Concentration bases	—	Testing method available	Testing method available	GA class	GA class	GA class	GA class	UNI EN ISO 10545-13
Stain Resistance	—	>=3class	>=3class	5class	5class	5class	5class	UNI EN ISO 10545-14